



DOCUMENT DE TREBALL

XREAP2010-1

**The Accessibility City.
When Transport Infrastructure Matters in
Urban Spatial Structure**

Miquel-Àngel García-López (GEAP)

The Accessibility City. When Transport Infrastructure Matters in Urban Spatial Structure

Miquel-Àngel Garcia-López

GEAP-XREAP

Department of Applied Economics

Universitat Autònoma de Barcelona

miquelangel.garcia@uab.cat

Abstract

Suburbanization is changing the urban spatial structure and less monocentric metropolitan regions are becoming the new urban reality. Focused only on centers, most works have studied these spatial changes neglecting the role of transport infrastructure and its related location model, the “accessibility city”, in which employment and population concentrate in low-density settlements and close to transport infrastructure. For the case of Barcelona, we consider this location model and study the population spatial structure between 1991 and 2006. The results reveal a mix between polycentricity and the accessibility city, with movements away from the main centers, but close to the transport infrastructure.

Key words: Urban Spatial Structure, Suburbanization, Decentralization, Transport Infrastructure, Location and Land Use Patterns

1. Introduction

At the present time, most large cities in the World are undergoing a process of employment and population decentralization-suburbanization that is changing their urban spatial structures. Main centers are losing employment and population in favour of peripheral locations. Furthermore, they are losing influence on the location and land consumption patterns in the non-central areas. As a result, less monocentric metropolitan regions are

becoming the new urban reality (Anas et al., 1998; Giuliano and Redfearn, 2007; Cox et al., 2008).

Theoretical and empirical works have studied these spatial changes focusing their attention on centers, the former explaining the main factors influencing their emergence and decline and the transition between urban forms (Ogawa and Fujita, 1980; Fujita and Ogawa, 1982), the latter providing methodologies for their identification and classifying cities as monocentric, polycentric and dispersed (Giuliano and Small, 1991; Gordon and Richardson, 1996; McMillen, 2001). As a whole, these studies have neglected the location role of transport infrastructure or, at least, included it into the abovementioned spatial configurations (White, 1976; Steen, 1986; Sullivan, 1986).

From our point of view, employment and population are spatially organized not only around main centers, but also around transport infrastructure. In the case of employment, because it provides better access to agglomeration economies, workers, customers or suppliers, etc., and, in the case of population, because it improves accessibility to employment, consumption, amenities, etc. In this context, locations close to freeways, ramps, railroads and stations, among others, might become density maxima from where the rest of the employment and population structure their location and land consumption patterns in a decreasing way, that is, with density falling as firms and individuals move away from transport infrastructure. This spatial pattern is what we call the “accessibility city”.

For the case of the Barcelona Metropolitan Region (BMR), we study the location and land consumption patterns of population and their evolution between 1991 and 2006. The goal is to provide some insight into the location model discussion by taking into account the role of the transport infrastructure and, therefore, considering the accessibility model as an alternative spatial configuration. Furthermore, considering different types of transport infrastructures (limited access freeways, free access main roads, ramps, railroads and stations) , we also study different types of accessibility models.

The paper begins by summarizing the standard characterization of transport infrastructure in theoretical works where monocentricity, polycentricity and/or dispersion are the only urban forms studied, but also a few other models where transport infrastructure is taken into account in a more realistic way and our proposal to consider the accessibility city as an alternative spatial configuration. Moreover, Section 2 also shows how empirical litera-

ture has only focused on main centers providing and/or using identification methodologies to deal with the urban spatial structure discussion, but without paying attention to the accessibility model. Section 3 introduces the Barcelona Metropolitan Region during the 1991-2006 period, the available data and the main features of its urban spatial structure, applying one of the usual methodologies, and its transport infrastructure. In Section 4 we present our empirical approach to study the BMR's spatial structure and its evolution considering the accessibility city as another location model besides polycentricity and dispersion. The empirical results are discussed in Section 5. Finally, the main conclusions of the study are outlined.

2. Transport Infrastructure and Urban Spatial Structure

2.1. Theoretical Studies

2.1.1. The Standard Point of View

From a theoretical point of view, the role of transport infrastructure on urban spatial structure has been studied in the context of the Bid Rent Model reformulated based on the New Urban Economics (NUE). The standard point of view departs from the seminal works of the NUE, Alonso (1964), Mills (1967) and Muth (1969), and consider a non-limited radial-type transport infrastructure covering the whole city in the same way and therefore allowing the same access to the CBD from any point located at the same distance from this center. The way transport infrastructure is modeled leads to a homogeneous reduction in the density as population and employment¹ move away from the CBD (a CBD gradient). In this spatial structure, commonly called the monocentric model, the decentralization-suburbanization process reduces central densities and increases peripheral ones, being the resulting spatial structure more dispersed than the previous one.

Following the mid-seventies, the so-called non-monocentric/polycentric NUE models² appeared allowing the possibility of other different spatial configurations besides the monocentric form. In this sense, considering linear cities or adapting the transport infrastructure standard point of view to the possibility of more centers, that is, a transport infrastructure system that

¹As it is shown by McDonald and Prather (1994) and McDonald (1997).

²See White (1999) for an excellent review of non-monocentric/polycentric models and their main characteristics.

provides the same accessibility level to the other centers from any point located at the same distance to these other centers, works such as Ogawa and Fujita (1980), Fujita and Ogawa (1982), Ogawa and Fujita (1989) or Lucas and Rossi-Hansberg (2002), among others, analyze the conditions that explain the emergence of monocentric, polycentric and dispersed cities.

2.1.2. A More Realistic Point of View

Although the abovementioned treatment of the transport infrastructure is the “standard” in the NUE literature, there are a few theoretical models that consider the role of this infrastructure on the urban spatial structure in a more realistic way. In this sense, close to the NUE seminal works and therefore based on a monocentric spatial structure, Steen (1986) develops a model which explains how population decentralization-suburbanization benefits locations close to transport infrastructure (the railroad system). This infrastructure, although being radial, no longer applies to the whole city; instead, it benefits only certain zones of the metropolitan region, the ones where railroad lines are located. These locations show better accessibility than the others, making them more attractive for population and employment and encouraging their concentration there. In this case, as well as the fall in densities from the center (CBD gradient), which now is not homogeneous for areas located at the same distance, the decrease in densities occurring from the transport infrastructure must be added³ (a infrastructure gradient). In this model, the decentralization-suburbanization process benefits non-central locations near the transport infrastructure, thereby leading to an increase in its structuring role (in the infrastructure gradient).

Used to explain the emergence of a polycentric spatial structure, the non-monocentric NUE models by White (1976) and Sullivan (1986) consider a circumferential transport infrastructure (freeway). In White (1976), this kind of polycentricity is the result of the interplay between CBD’s agglomeration diseconomies and transport costs related to this transport infrastructure. Sullivan (1986) also considers agglomeration economies originated in locations close to infrastructure. In both cases, the circumferential freeway provides better accessibility, and employment and population locate close to it in a parallel/linear pattern. The fall in densities is from the whole infras-

³With the same conclusions, Baum-Snow (2007a) develops a more elaborated theoretical model which shows the effect of transport infrastructure improvements on population suburbanization.

structure and, therefore, a ring-type subcenter emerges. The decentralization-suburbanization process benefits infrastructure-subcenter locations and, as a result, the polycentric model is reinforced.

2.1.3. Our Point of View: The Accessibility City

White (1976), Sullivan (1986) and Steen (1986) models can be extended for a complete consideration of transport infrastructure. First, we can consider a transport infrastructure based on roads and railroads that is no longer radial neither circumferential. On the contrary, it can take any shape, but benefiting only certain zones of the city. Second, this infrastructure can be related to a free access infrastructure, in which population and employment have access from any point of the network, and to a limited access infrastructure, in which ramps and railroad stations are the access points. Finally, like the previous models, we assume that locations close to the transport infrastructure have better accessibility levels.

The resulting spatial configuration depends on the type of transport infrastructure. In the case of the free access, population and employment will follow a parallel location pattern with densities decreasing from the whole infrastructure. In the limited case, employment and population will locate around the access points following a decreasing concentric density pattern. In both cases, some of these locations close to the transport infrastructure will be density local maxima and might be identified as (sub)centers (McMillen and McDonald, 1998). However, most of them will not have enough employment and population and/or density levels and, with the usual methodologies, they will be identified as non-central locations. As a result, without taking into account the transport infrastructure role, the decentralization-suburbanization process will reinforce polycentricity, in the first scenario, or dispersion, in the second one. Considering its influence, the process will reinforce the parallel and/or the concentric accessibility model.

2.2. Empirical Studies

Influenced by the theoretical developments, empirical works on urban spatial structure have mainly focused on providing and using (sub)center identification methodologies in order to classify cities as monocentric, polycentric or dispersed. Numerical and statistical thresholds (density or job-ratio and em-

ployment cutoffs) (Giuliano and Small, 1991; Muñiz et al., 2008)⁴, commuting flows (Bourne, 1989; Gordon and Richardson, 1996), density or job-ratio maxima (Gordon et al., 1986; McDonald, 1987; Muñiz et al., 2003; Redfearn, 2007), significant positive residuals (McDonald and Prather, 1994; McMillen, 2001; Lee, 2007), and local indicators of spatial associations (LISA) (Baumont et al., 2004; Guillain et al., 2006) are the more common procedures used⁵.

Most of these studies are not longitudinal and focus their attention on the monocentric-polycentric model discussion, being the latter the preeminent spatial structure in American and European cities (Giuliano and Redfearn, 2007). Only a few of them consider a temporal point of view, analyzing changes on urban form and the emergence of (more) polycentric (Shearmur and Coffey, 2002; Giuliano and Redfearn, 2007; Shearmur et al., 2007; Garcia-López and Muñiz, 2011) and dispersed cities (Gordon and Richardson, 1996; Gordon et al., 1998; Pfister et al., 2000; Lang, 2003; Lee, 2007).

Although the accessibility city has not been considered in the empirical literature⁶, Steen (1986), McMillen and McDonald (1998), Baum-Snow (2007b) and Garcia-López (2010) are some exceptions where this issue is addressed, at least in an indirect way, through the estimation of monocentric or polycentric density functions in which infrastructure gradients are considered⁷. In this sense, departing from a monocentric model, Steen (1986) and Baum-Snow (2007b) find that population suburbanization encouraged a

⁴Other studies that used this procedure are Small and Song (1994), Cervero and Wu (1997), Forstall and Green (1997), McMillen and McDonald (1997), Bogart and Ferry (1999), Pfister et al. (2000), Anderson and Bogart (2001), Coffey and Shearmur (2002), Shearmur and Coffey (2002), McMillen and Smith (2003), Giuliano and Redfearn (2007), Lee (2007) and Garcia-López and Muñiz (2011).

⁵Although most of them are centered on the employment spatial structure, some European papers have applied these methodologies to population. See, for example, Muñiz et al. (2003), Baumont et al. (2004) or Garcia-López (2010).

⁶Although non completely centered on the urban form discussion, Cervero and Landis (1997) is an excellent study regarding the impact of a transport infrastructure, the Bay Area Rapid Transit (BART) system, on urban development patterns. From a quantitative point of view, Lang (2003) also detects the relationship between non-central areas that he labels “edgeless cities” and the transport infrastructure, mainly freeways, in the distribution of office development in 13 U.S. metropolitan areas. However, he relates this location model with a dispersed spatial structure.

⁷Other studies that also include variables related to the transport infrastructure in density functions treat them as control variables without paying attention to their results.

more parallel accessibility model based on the railroad system and the freeway network, respectively. Similar results are found by Garcia-López (2010), but in a polycentric context and related to the main road network. Finally, in the case of employment, McMillen and McDonald (1998) detect concentric location patterns around freeway interchanges and commuter stations in the polycentric Chicago.

Despite these findings, non of these works undertake a complete analysis of the accessibility location model. Consider simultaneously the different types of transport infrastructure such as roads and railroads, study how their influence is evolving in time and/or compare their results with the (sub)centers ones (polycentricity) is still needed in order to fully analyze this spatial structure. This is the main goal pursued in the next sections.

3. The Barcelona Metropolitan Region

The Barcelona Metropolitan Region (BMR) is one of the most important European metropolises and it's an excellent case study for our purpose according to three of its characteristics. Firstly, it is undergoing a decentralization process affecting both employment and population. Second, its urban spatial structure is related to a polycentric location model based on a big main center and several employment and population subcenters, although non-central locations weight is growing. And thirdly, its transport infrastructure is not evenly distributed in the metropolitan space. Moreover, it is mainly radial, connecting the CBD with the other main centers, and is based on free access infrastructure (other main roads) and limited access infrastructure (highways-freeways with ramps and a railroad system with stations). These facts are discussed in the following subsections.

3.1. BMR's Data

Barcelona's population data come from 1991, 1996, 2001 and 2006 Population Censuses, which are produced by the Instituto Nacional de Estadística (INE). Although information is collected at a census tract level, most questions are related to a municipal level.⁸ Fortunately, population data is computed at a census tract level, with 3,569, 3,481, 3,828, and 3,864 observations in 1991, 1996, 2001 and 2006, respectively. To easily compare the

⁸See <http://www.ine.es/censo2001/cuestionarios.htm> for more information.

four years, we matched their samples using the shapefiles also provided by the INE, obtaining a common sample with 3,182 census tracts.

Total land area for the whole BMR and its subdivisions were computed using the abovementioned shapefiles. Residential land was computed using the so-called Mapes d'Usos del SI de Catalunya (Land Use Maps of Catalonia) of 1992, 1997 and 2002 produced by the Institut Cartogràfic de Catalunya, ICC) using multispectral data taken from the Thematic Mapper sensor of the LANDSAT-TM satellite, at a scale of 1:25,000.⁹ These maps present a classification of 21 uses, which includes four urban types. Residential land is obtained by adding together the “urban nucleuses” and “condominium of single and semi-detached houses” land categories.

Transport infrastructure graphs related to the main road network and the railroad system were provided by the Departament de Política Territorial i Obres Públiques (DPTOP). Based on these maps, GIS software was used to create new graphs: “all infrastructure” merging main roads and railroads graphs, “highways and freeways” (limited access roads) and “other main roads” (free access roads) splitting main roads graph. Moreover, additional information by DPTOP allowed us to locate “ramps” and “railroad stations”.

3.2. BMR: A First Insight

The Barcelona Metropolitan Region (BMR) was delimited in 1966 by the Pla Director de l'Àrea Metropolitana¹⁰, defined by law in 1987 by Llei d'Ordenació Territorial, and it is currently used as a functional region for Planning purposes by the Pla Territorial General de Catalunya (PTGC).¹¹ Made up of 164 municipalities grouped in 7 “comarques”, the BMR covers an area of 324,000 ha in a radius of approximately 55 km. Because of its steep topography, only 67,999 ha were urbanized¹² in 2002 (Garcia-López, 2010).

⁹See http://mediambient.gencat.cat/cat/el_departament/cartografia/fitxes/usos_87.jsp for more information.

¹⁰Following the North American methodology for MSA delimitation, Clusa and Roca (1997) delimited this functional region using 1996 data.

¹¹The PTGC is the basic planning tool in Catalonia, where other 6 functional regions are considered. For more information, see http://ca.wikipedia.org/wiki/Pla_territorial_general_de_Catalunya.

¹²Computations based on the 2002 land use map adding together the “urban nucleuses”, “condominium of single and semi-detached houses”, “industrial and services zones” and “transport infrastructure” land categories

The “comarques” are the Catalan counties and were delimited in 1936 using criteria related to the location of the main marketplaces. In the case of the BMR, Barcelonés is in the center of the region, where the other 6 wedge-shaped comarques converge (see Figure 1). Barcelonés municipalities (Barcelona plus other 4) and other 8 adjacent municipalities from the other comarques form the central conurbation,¹³ a continuous built-up area with the highest population and employment densities and, historically, the origin of the region. Although Barcelonés municipalities are the biggest ones in the BMR, other 7 important municipalities are located in the other 6 comarques, 5 of them with a Christallerian origin and with over a thousand years of history,¹⁴ while the other 2 have developed recently.¹⁵ Although these outer cities developed in an isolated way during most part of their history, between 1985 and 2000 they got fully integrated with the central conurbation.¹⁶

Table 1: BMR’s Population Growth and Change by Comarca

Area	Population				Change	
	1991	1996	2001	2006	91-01	91-06
Alt Penedès	69,863	73,196	80,976	96,779	15.9%	38.5%
Baix Llobregat	610,192	43,419	692,892	767,967	13.6%	25.9%
Barcelonès	2,302,137	2,131,378	2,093,670	2,226,913	−9.1%	−3.3%
Garraf	76,915	90,435	108,194	133,117	40.7%	73.1%
Maresme	293,103	318,891	356,545	409,125	21.6%	39.6%
Vallès Occidental	649,699	685,600	736,682	836,077	13.4%	28.7%
Vallès Oriental	262,513	285,129	321,431	371,387	22.4%	41.5%
BMR	4,264,422	4,228,048	4,390,390	4,841,365	3.0%	13.5%

With more than 4,800,000 inhabitants in 2006, the region’s population grew in almost 577,000 people during the previous 15 years (Table 1). This population growth process clearly benefited the 6 outer comarques with Vallès Occidental and Baix Llobregat with the biggest gains (more than 150,000

¹³Muñiz et al. (2008) considered these 13 municipalities as the CBC.

¹⁴Vilafranca del Penedès in Alt Penedès, Vilanova i la Geltrú in Garraf, Mataró in Maresme, Sabadell and Terrassa in Vallès Occidental.

¹⁵Martorell in Baix Llobregat, Granollers in Vallès Oriental.

¹⁶Muñiz et al. (2003) provide an excellent overview of the historical process of the BMR’s metropolitan growth and formation.

inhabitants). On the contrary, the core “comarca”, Barcelonés, although concentrating half of the region’s inhabitants, lost population (75,000 inhabitants). From a temporal point of view, the “absolute” decentralization process affecting Barcelonés during the first 10 years was stopped by an intensive international migratory wave from Latin American countries and the new EU members. As abovementioned, this process also benefited the outer comarques and, as a result, the region underwent an internal population distribution.

Although these comarca aggregate figures show the existence of location changes in the BMR, they tell us little about the dynamics internal to the comarca boundaries, about the spatial organization of households in the region. Paying attention to these issues requires to take into account the BMR’s urban spatial structure.

3.3. BMR’s Urban Spatial Structure

From an employment point of view, the BMR has been defined as polycentric by Muñiz et al. (2008). Using municipal data, they applied a threshold methodology based on Giuliano and Small (1991) in which an employment center is a municipality with an employment density greater than the BMR’s average density and an amount of employment greater than 1 per cent of the BMR’s total employment. Besides the CBD¹⁷, the authors found 9 employment subcenters in 2001.


Regards population, the region has been also characterized as polycentric by Garcia-López (2010). Using census tract data, centers are identified applying McMillen (2003) methodology in which a non-parametric estimation is used (locally weighted regression). The idea is to estimate a population density function that represents a monocentric spatial structure. Using it as a benchmark¹⁸, the groups of significant deviations from the monocentric configuration (real densities greater than estimated densities) that surpass a population cutt-off are the centers. Defining Barcelona municipality as the main population center, the author identified 23 and 7 population subcenters in 2005 when cutt-offs of 10,000 inhabitants and 1 per cent of BMR’s

¹⁷In fact, Muñiz et al. (2008) only identified employment subcenters and the CBD is defined as Barcelona and 12 adjacent municipalities with a continuous built-up area.

¹⁸McMillen (2001) propose to use locally weighted regression because of its flexibility, allowing us to obtain any kind of monocentric benchmark and not only the imposed negative exponential function used by McDonald and Prather (1994).

inhabitants (47,701) are used, respectively.

Figure 1: Urban Spatial Structure in the BMR: Centers



Although both type of subcenters are identified using different economic agents (employment and population), both groups are very similar. In this sense, 5 of the 7 largest population subcenters (Sabadell, Terrassa, Mataró, Granollers i Vilanova i la Geltrú) (Figure 1) are also employment subcenters, in fact the largest ones. Furthermore, they are also the abovementioned Christallerian towns with over a thousand years of history. Finally, because population data is available at a census tract level, the other 2 population subcenters (l'Hospitalet i Viladecans) are located inside the Muñiz et al. (2008)'s CBD and concentrate a large amount of employment. As a result, we use the 7 largest population subcenters to define the BMR's urban spatial structure¹⁹ and analyze the spatial model in location and land consumption

¹⁹Using a cubic spline function, Muñiz et al. (2003) show this match between population

patterns followed by population in the BMR.

Taking into account this spatial structure, the location and land consumption trends of population in the BMR are shown in Tables 2 and 3. In this sense, Table 2 shows the number of inhabitants in each spatial area, its relative weight in the region and its absolute and relative variation in the first 10 years of the study, 1991-2001, as well as in the whole period analyzed, 1991-2006. The figures show a suburbanization process characterized by the loss of population and relative importance of the CBD. Disaggregating this spatial area between Barcelona municipality and the other 12 CBD municipalities²⁰ we can see that the process is more intense in Barcelona municipality than in the rest of the CBD (8.6 vs 5.6 per cent of population decrease in 1991-2001). As was aforementioned, the arrival of migrants attenuated this process, adding more than 100,000 and almost 44,000 inhabitants to Barcelona and the other CBD places, respectively.

Table 2: BMR's Population Growth and Change by Area

Area	Population				Change	
	1991	1996	2001	2006	91-01	91-06
Barcelona	1,628,841 (38.20%)	1,493,904 (35.33%)	1,489,504 (33.93%)	1,590,603 (32.85%)	-139,337 (-8.6%)	-38,238 (-2.3%)
Other CBD	739,386 (17.34%)	713,086 (16.87%)	698,175 (15.90%)	742,111 (15.33%)	-41,211 (-5.6%)	2,725 (0.4%)
Subcenters	852,250 (19.99%)	839,232 (19.85%)	833,795 (18.99%)	900,561 (18.60%)	-18,455 (-2.2%)	48,311 (5.7%)
Non-Central	1,043,945 (24.48%)	1,181,826 (27.95%)	1,368,916 (31.18%)	1,608,090 (33.22%)	324,971 (31.1%)	564,145 (54.0%)

The suburbanization process also affected the subcenters during the first 10 years in absolute and relative terms. In this sense, with a loss of more than 18,000 inhabitants (absolute suburbanization), their relative importance decreased from 20 to 19 per cent (relative suburbanization). Furthermore, although the migratory wave also benefited them adding almost 67,000 inhabitants between 2001 and 2006 and, as a result, increasing their population

and employment subcenters.

²⁰L'Hospitalet and Viladecans census tracts identified as subcenters are not included in the Other CBD Places computations.

in a 5.7 per cent in the whole period, their weight kept on decreasing and they came to concentrate only 18.6 per cent of population of the BMR.

Only the census tracts that make up the rest of the region, the Non-Central Places, are the ones that benefited from the suburbanization process affecting both the CBD and subcenters between 1991 and 2001, as well as from the growth of the region related to the migratory wave. With a population growth of 54 per cent, this area reached more than 1,600,000 inhabitants in 2006, increasing their relative importance from 24 to 33 per cent. Furthermore, only in 5 years, from 2001 to 2006, almost 240,000 individuals located in these places, 27,000 more than in the other areas together. As a result, it seems that these Non-Central Places were the main characters in the suburbanization process (1991-2001) and in the suburban growth process (2001-2006).

Table 3: BMR's Average Density Growth and Change by Area

Area	1991	1996	Gross Density			
			2001	2006	91-01	91-06
Barcelona	470.98	429.83	423.66	446.42	-10.0%	-5.2%
Other CBD Places	443.51	411.19	382.36	408.72	-13.8%	-7.8%
Subcenters	374.05	354.20	333.69	349.86	-10.8%	-6.5%
Non-Central Places	72.47	71.37	72.43	79.66	-0.1%	9.9%
BMR	371.26	343.19	332.14	351.28	-10.5%	-5.4%

Area	1991	1996	Net Density			
			2001	2006	91-01	91-06
Barcelona	490.69	501.81	497.37	—	1.4%	—
Other CBD Places	539.76	558.57	532.67	—	-1.3%	—
Subcenters	478.60	418.38	389.17	—	-18.7%	—
Non-Central Places	156.90	172.46	172.68	—	10.1%	—
BMR	431.36	431.88	420.40	—	-2.5%	—

Table 3 show the average density in each spatial area and its relative variation between 1991 and 2001 and between 1991 and 2006. Two types of population density are computed, the gross density, which measures the number of inhabitants per hectare of total land, and the net density, which measures the number of inhabitants per hectare of residential land. With the former density only population location is considered, with the latter we also consider the typology of the residential settlements and the consumption of

land, that is, location and land use jointly. In the gross density case, there is a trend to its reduction in all the spatial areas during the first 10 years. Due to the arrival of migrants, this trend was attenuated in all the areas, and even reversed in the Non-Central Places. In terms of population location and without taking into account the transport infrastructure, these figures show that the BMR's spatial structure is becoming more dispersed, with lower density levels in its main centers (24-36 inhabitants) and slightly increasing densities in the periphery (9 inhabitants in Non-Central Places).

Paying attention not only to population location, but also to land consumption, allow us to detect dynamics slightly different. In this sense, although the average net density²¹ decreased 11 individuals per hectare in the whole region between 1991 and 2001, there was only one significant decrease in densities: the subcenters lost almost 90 inhabitants per hectare in average. On the contrary, while Barcelona and Other CBD Places dynamics compensated each other, Non-Central Places density increased in almost 16 inhabitants per hectare of residential land. Taking into account that residential land increased in 35.8 per cent, from 33,605 to 45,623 ha, between 1992 and 2002 (Garcia-López, 2010) and that the most of this new residential land appeared in the Non-Central Places, the net density results of this spatial area show that people, although leaving the main centers and their higher densities, still prefer to live concentrated. As a result, the emergence of a more dispersed city is not clear when land consumption is considered.

Although Tables 2 and 3 results provide some insight into the BMR spatial structure characteristics and its most recent changes, they tell us little about the influence of the main centers on the location and/or land consumption of population outside them. Moreover, these results do not take into account the structuring role of transport infrastructure and, therefore, the possibility of an accessibility location model.

3.4. BMR's Transport Infrastructure


The steep topography aforementioned, besides influencing its urbanization pattern, has also shaped the transport infrastructure network, which is mainly radial and connects the CBD with the subcenters and other main towns. More recently, transversal infrastructures have been built in order to

²¹Computed using 1991, 1996 and 2001 population data and 1992, 1997 and 2002 residential land data, respectively. Unfortunately, as was aforementioned, there is not a 2007 land use map available. As a result, 2006 net density was not computed.

reduce this radial pattern. This transport infrastructure is based on both a main road network and a railroad system that are very close to each other (Figures 2 and 3).


As for the main road network, it is based on several highways and freeways (A-2, AP-2, AP-7, C-16, C-17, C-32, C-33 and C-58) and other main roads (C-15, C-31, C-35, N-340, N-II, among others). The former are fast and high-capacity roads which their access are limited by ramps, and the latter are main roads that cross municipalities and have access from any point in the network. Although some highways-freeways were formerly other main roads with free access, most of them are new infrastructures, and, therefore, the capacity of the whole road network has increased. Nowadays, there are 516 km of highways-freeways, with 134 ramps located in 68 municipalities, and 670 km of other main roads. (Figure 2). In 2002 the main road network was about 16.25 per cent (11,047 ha) of the BMR's urbanized area (Garcia-López, 2010).

Figure 2: BMR's Main Road Infrastructure



On the other hand, the railroad system is mainly a passenger-oriented infrastructure with 1,172 km of railroad lines and 282 stations²² in 76 municipalities (Figure 3). It is based on an important subway (METRO), and some FGC and RENFE railroad lines. The former covers the whole municipality of Barcelona and partially the CBD and it is owned by a metropolitan public firm (Transports Metropolitans de Barcelona S.A.). The second are owned by a State public firm (Ferrocarrils de la Generalitat de Catalunya S.A.) and provide services to Barcelona, to some CBD's municipalities and to some "comarques" nearest to Barcelona. And the latter are part of the National railroad system and communicate different parts of the BMR between them and Barcelona (metropolitan services) and with the rest of the country (long-distance services).

Figure 3: BMR's Railroad System and Stations



²²Barcelona concentrates 128 railroad stations, including subway stations, and there are 185 in the whole CBD. Most of them are subway stations.

4. Method

Following the NUE's models, urban spatial structure should not be understood merely as a phenomenon related to the amount of employment and population located in centers, for it is also the influence that these main centers exercise on the location of the rest of the employment and population. This influence has been studied through the estimation of polycentric density functions in which density and distances to these centers are used as dependent and explanatory variables, respectively. The estimated coefficients to each center are called density gradients and measure whether density increases or reduces with distance to these centers. If it reduces for the CBD and subcenters, then centers influence is verified, as well as polycentricity. From a temporal point of view, decreasing (increasing) density gradients would show the reduction (increase) of the influence of these centers and, therefore, the emergence (reinforcement) of a more dispersed (polycentric) model.

As was mentioned in Section 2, NUE's models also point out the role of transport infrastructure in determining the location and land consumption patterns (Steen, 1986; White, 1976; Sullivan, 1986). Including different distances variables related to transport infrastructure we can study its influence on population location. As in the center case, infrastructure density gradients that show a decreasing density pattern when we move away from this infrastructure would verify its influence and, therefore, the existence of the accessibility model. From a temporal point of view, increasing infrastructure gradients would show the reinforcement of this model.

In order to measure the influence of main centers and transport infrastructure, we estimate the most common polycentric density function in which the natural logarithm of the population density, $\ln D$, is explained by the distance d_{CBD} from the CBD and the inverted distance d_{SUB}^{-1} from the nearest subcenter (McDonald and Prather, 1994), and in which, testing different specifications, we add different transport infrastructure distances $d_{(\bullet)}$.

As in Subsection 3.3, we use two types of population density. With the gross density (inhabitants per hectare of total land) we test main centers and infrastructure impact on population location, whereas with the net density (inhabitants per hectare of residential land) we estimate jointly their role on the location and land consumption of population.

4.1. Static Specifications

First of all, we estimate each density function following a static point of view, that is, for each year. The idea is to test, first, which of the following specifications is the best to explain the spatial distribution of population in the BMR. And, second, to determine which location model (polycentric, accessibility and/or dispersed model) prevails in the city.

Regarding specifications, in (1) we include a unique transport infrastructure variable that summarize and assess the global role of “all transport infrastructure”. As aforementioned, using GIS software we merged main roads and railroads graphs and computed the distance to the nearest transport infrastructure d_{ALL} . With this and the following variables we test the existence of an accessibility model based on a parallel location close to this infrastructure.

$$\begin{aligned} \ln D = & \alpha + \gamma_{CBD} d_{CBD} + \delta_{SUB} d_{SUB}^{-1} \\ & + \mu_{ALL} d_{ALL} + \epsilon \end{aligned} \quad (1)$$

To estimate the different influence of public transport based on the railroad system and public and private transport that use the road network, specification (2) includes distance d_{RAIL} to the nearest railroad and distance d_{ROAD} to the nearest main road.

$$\begin{aligned} \ln D = & \alpha + \gamma_{CBD} d_{CBD} + \delta_{SUB} d_{SUB}^{-1} \\ & + \mu_{ROAD} d_{ROAD} \\ & + \mu_{RAIL} d_{RAIL} + \epsilon \end{aligned} \quad (2)$$

As aforementioned, the main road network is based on limited access roads (highways and freeways) and free access roads (other main roads). Using GIS software, we splitted main roads graph in these two main road types and computed distance d_{FREEW} to the nearest freeway-highway and distance d_{OTHER} to the nearest other main road. Specification (3) includes these two variables instead of distance d_{ROAD} to the nearest main road.

$$\begin{aligned} \ln D = & \alpha + \gamma_{CBD} d_{CBD} + \delta_{SUB} d_{SUB}^{-1} \\ & + \mu_{FREEW} d_{FREEW} + \mu_{OTHER} d_{OTHER} \\ & + \mu_{RAIL} d_{RAIL} + \epsilon \end{aligned} \quad (3)$$

By definition, access to highways and freeways are limited by ramps. These locations provide better accessibility than other parts of this transport infrastructure. As a result, we add distance d_{RAMP} to the nearest ramp

as an explanatory variable. Unlike the other transport infrastructure distances, this variable allows us to take into account an accessibility model based on a concentric location pattern around these ramps. Specification (4) still includes distance d_{FREEW} to the nearest freeway-highway as explanatory variable because some of these freeways were formerly free access roads and, therefore, their previous influence might remain.

$$\begin{aligned} \ln D = & \alpha + \gamma_{CBD} d_{CBD} + \delta_{SUB} d_{SUB}^{-1} \\ & + \mu_{FREEW} d_{FREEW} + \mu_{RAMP} d_{RAMP} + \mu_{OTHER} d_{OTHER} \\ & + \mu_{RAIL} d_{RAIL} + \epsilon \end{aligned} \quad (4)$$

Finally, we include distance d_{STAT} to the nearest railroad station in specification (5). Like in the freeway case, access to the railroad system is limited, in this case, to these stations. Taking into account this variable we test for the existence of an accessibility model based on a concentric location pattern around these stations. Unlike the previous specifications, we do not include distance d_{RAIL} to the nearest railroad line because, obviously, access to this infrastructure has been always limited to stations.

$$\begin{aligned} \ln D = & \alpha + \gamma_{CBD} d_{CBD} + \delta_{SUB} d_{SUB}^{-1} \\ & + \mu_{FREEW} d_{FREEW} + \mu_{RAMP} d_{RAMP} + \mu_{OTHER} d_{OTHER} \\ & + \mu_{STAT} d_{STAT} + \epsilon \end{aligned} \quad (5)$$

In each estimation α is the constant of the regression; γ_{CBD} and δ_{SUB} are the CBD and subcenter density gradients, and the different $\mu_{(\bullet)}$ are the density gradients associated with the several distances to the transport infrastructure (infrastructure gradients). ϵ is the error term. Each specification is estimated by ordinary least squares. In order to correct possible problems of heterocedasticity in the cross-section sample, standard errors and the covariance matrix are calculated using White (1980)'s method.

The sign and significance of the estimated gradients provide us with the required information to discuss about the spatial configuration followed by BMR's population. In this sense, a significant and negative value of the CBD's gradient ($\gamma_{CBD} < 0$) and a positive value of the nearest subcenter gradient ($\delta_{SUB} > 0$) would show the existence of a polycentric structure in which population density decreases as the inhabitants move further from the CBD and the nearest subcenter. The accessibility model, parallel and/or concentric, would be verified with a decreasing density pattern from the transport

infrastructure, that is, with a negative and significant infrastructure gradient ($\mu_{(\bullet)} < 0$). Obviously, polycentricity and the accessibility model can coexist. On the other hand, non-significant and/or positive gradients for CBD and infrastructure and a non-significant and/or negative subcenter gradient would show a dispersed spatial structure.

4.2. Dynamic Specification

The comparison of the static results for each year provides us with a first insight into the dynamics of the spatial structure. Increasing main centers and/or infrastructure gradients ($\uparrow \gamma_{CBD}$, $\uparrow \delta_{SUB}$, $\uparrow \mu_{(\bullet)}$) would indicate the reinforcement of the polycentric and/or the accessibility model. On the contrary, decreasing gradients ($\downarrow \gamma_{CBD}$, $\downarrow \delta_{SUB}$, $\downarrow \mu_{(\bullet)}$) would show that the population spatial structure is evolving to a more dispersed location model. However, only comparing estimated gradients we do not know whether these changes are significant or not. In order to measure their significance, we estimate a density growth function using the same distances as explanatory variables:

$$\Delta(\ln D) = \beta_{\alpha} + \beta_{\gamma_{CBD}} d_{CBD} + \beta_{\delta_{SUB}} d_{SUB}^{-1} + \beta_{\mu_{(\bullet)}} d_{(\bullet)} + \epsilon \quad (6)$$

where $\Delta(\ln D) = \ln D_t - \ln D_{t-1}$ measures population density changes, and $\beta_{\gamma_{CBD}} = \gamma_{CBD,t} - \gamma_{CBD,t-1}$, $\beta_{\delta_{SUB}} = \delta_{SUB,t} - \delta_{SUB,t-1}$ and $\beta_{\mu_{(\bullet)}} = \mu_{(\bullet),t} - \mu_{(\bullet),t-1}$ test whether gradient changes are statistically significant (Small and Song, 1994; Garcia-López, 2010). A significant and positive growth gradient for the CBD ($\beta_{\gamma_{CBD}} > 0$), a significant and negative growth gradient for the case of the nearest subcenter ($\beta_{\delta_{SUB}} < 0$) and a significant and positive infrastructure growth gradient ($\beta_{\mu_{(\bullet)}} > 0$) would show that population density grows faster far away from these locations and, as a result, the suburbanization process is related to the emergence of the dispersed model. On the contrary, a significant and negative infrastructure growth gradient ($\beta_{\mu_{(\bullet)}} < 0$) and/or a significant and positive subcenter growth gradient ($\beta_{\delta_{SUB}} > 0$) would indicate that the accessibility model and/or polycentricity are strengthened, even when the suburbanization process is taking place in the CBD ($\beta_{\gamma_{CBD}} > 0$).

5. Results

5.1. Specifications

Tables 4 and 5 show the results obtained with each of the five specifications estimated for 2006 using gross density and for 2001 using net density as

dependent variables. In both cases, their results explain the same story: As a whole, transport infrastructure matters and influences the location of population in the BMR, Eq. (1) ($\mu_{ALL} < 0$). However, a different impact is found when the main road network and the railroad system are analyzed separately, Eq. (2): Population seems to live far away from main roads ($\mu_{ROAD} > 0$) and close to the railroad system ($\mu_{RAIL} < 0$). Considering the heterogeneity inside the main road network, the influence of the free access main roads is detected ($\mu_{OTHER} < 0$), whereas the previous positive all main road gradient now is related to limited access main roads ($\mu_{FREEW} > 0$), Eq. (3). Only when ramps are considered, the impact of freeways on the population spatial structure is detected ($\mu_{RAMP} < 0$), Eq. (4). Finally, when distance to the nearest station replace the whole railroad system variable, the influence of this infrastructure is again found ($\mu_{STAT} < 0$), Eq. (5).

Table 4: Gross Density Specifications

	2006				
	(1)	(2)	(3)	(4)	(5)
α	6.189*** (99.94)	6.330*** (97.43)	6.358*** (92.45)	6.385*** (91.93)	6.440*** (92.67)
γ_{CBD}	-0.086*** (-25.68)	-0.086*** (-27.50)	-0.091*** (-29.75)	-0.090*** (-30.04)	-0.089*** (-31.06)
δ_{SUB}	0.273*** (8.54)	0.278*** (8.34)	0.217*** (6.82)	0.223*** (6.97)	0.210*** (7.03)
μ_{ALL}	-0.046** (-2.04)	-	-	-	-
μ_{ROAD}	-	0.177*** (5.49)	-	-	-
μ_{FREEW}	-	-	0.258*** (6.91)	0.298*** (7.64)	0.384*** (9.12)
μ_{RAMP}	-	-	-	-0.066*** (-2.94)	-0.053** (-2.50)
μ_{OTHER}	-	-	-0.056** (-1.93)	-0.051* (-1.76)	-0.042 (-1.47)
μ_{RAIL}	-	-0.208*** (-8.51)	-0.279*** (-9.64)	-0.237*** (-7.06)	-
μ_{STAT}	-	-	-	-	-0.335*** (-10.02)
R^2	0.3512	0.3770	0.3837	0.3867	0.4034
<i>Akaike</i>	3.3430	3.3027	3.2922	3.2876	3.2601

Paying attention to the explanatory capacity, R^2 , and, above all, to the Akaike information criterion of each specification, the last one, Eq. (5), is the one that shows the highest and the lowest values, respectively. As a result, we use it to talk about the spatial model that households follow in their location and land consumption decisions in the BMR from a static point of view. Later, it is used as a benchmark to estimate the dynamic Equation (6) and analyze how the population spatial structure evolved between 1991-2001/6.

Table 5: Net Density Specifications

	2001				
	(1)	(2)	(3)	(4)	(5)
α	6.233*** (160.41)	6.327*** (158.35)	6.367*** (147.17)	6.386*** (148.85)	6.408*** (148.49)
γ_{CBD}	-0.053*** (-28.14)	-0.053*** (-30.50)	-0.056*** (-31.99)	-0.056*** (-31.35)	-0.055*** (-32.02)
δ_{SUB}	0.140*** (6.85)	0.143*** (6.78)	0.107*** (5.01)	0.111*** (5.22)	0.109*** (5.27)
μ_{ALL}	-0.040*** (-2.91)	-	-	-	-
μ_{ROAD}	-	0.099*** (5.20)	-	-	-
μ_{FREEW}	-	-	0.130*** (5.50)	0.158*** (6.38)	0.181*** (6.97)
μ_{RAMP}	-	-	-	-0.046*** (-3.58)	-0.046*** (-3.78)
μ_{OTHER}	-	-	-0.048*** (-2.60)	-0.045** (-2.43)	-0.045** (-2.44)
μ_{RAIL}	-	-0.132*** (-9.68)	-0.154*** (-8.31)	-0.125*** (-5.70)	-
μ_{STAT}	-	-	-	-	-0.142*** (-6.63)
R^2	0.3068	0.3313	0.3345	0.3380	0.3413
<i>Akaike</i>	2.5549	2.5193	2.5148	2.5098	2.5048

5.2. Static Results

The static results (Tables 6 and 7) obtained with the selected specification, Eq. (5), show that the spatial distribution of population in the BMR

follows both a polycentric and an accessibility model. Furthermore, the accessibility model is related to a concentric pattern around ramps and rail-road stations and to a parallel pattern close to other main roads. In this sense, the significant and negative CBD gradient ($\gamma_{CBD} < 0$) and the significant and positive subcenter gradient ($\delta_{SUB} > 0$) confirm econometrically the polycentric model, while the significant and negative infrastructure gradients ($\mu_{\bullet} < 0$) are consistent with the accessibility model. Only the positive gradients related to the freeways-highways ($\mu_{FREEW} > 0$) show an increasing density pattern from this infrastructure and, therefore, its inability to structure population location and land consumption decisions.

Table 6: Gross Density Location Patterns

	Static Equation (5) - $\ln D$			
	1991	1996	2001	2006
α	6.575*** (90.38)	6.498*** (92.47)	6.431*** (92.74)	6.440*** (92.67)
γ_{CBD}	-0.103*** (-33.36)	-0.098*** (-33.32)	-0.093*** (-32.27)	-0.089*** (-31.06)
δ_{SUB}	0.235*** (7.21)	0.222*** (7.19)	0.208*** (6.98)	0.210*** (7.03)
μ_{FREEW}	0.422*** (9.21)	0.414*** (9.44)	0.395*** (9.31)	0.384*** (9.12)
μ_{RAMP}	-0.051** (-2.23)	-0.061*** (-2.76)	-0.059*** (-2.77)	-0.053** (-2.50)
μ_{OTHER}	-0.052* (-1.70)	-0.058** (-2.00)	-0.049* (-1.73)	-0.042 (-1.47)
μ_{STAT}	-0.373*** (-9.95)	-0.353*** (-9.95)	-0.334*** (-9.85)	-0.335*** (-10.02)
R^2	0.4384	0.4371	0.4299	0.4034

Regarding gross and net estimations, their results do not show significant differences in terms of gradient signs and significances. The only exception is distance to the nearest other main roads, which is not significant in 2006 when we only take into account population location patterns (growth density). Because we do not have data in residential land for this year to compute the net density, we do not know whether this also happened in the location and land consumption patterns. In terms of coefficient values, gross density results show steeper gradients, that is, the fall of density in location terms is

higher than when location and land consumption patterns are considered. As a result, the density distribution is more homogeneous in net than in gross terms.

Table 7: Net Density Location and Land Consumption Patterns

	Static Equation (5) - $\ln D$		
	1991	1996	2001
α	6.415*** (146.05)	6.458*** (141.26)	6.408*** (148.49)
γ_{CBD}	-0.057*** (-32.74)	-0.058*** (-31.35)	-0.055*** (-32.02)
δ_{SUB}	0.132*** (6.70)	0.122*** (5.69)	0.109*** (5.27)
μ_{FREEW}	0.172*** (6.75)	0.201*** (7.25)	0.181*** (6.97)
μ_{RAMP}	-0.031** (-2.42)	-0.045*** (-3.53)	-0.046*** (-3.78)
μ_{OTHER}	-0.033* (-1.88)	-0.056*** (-2.88)	-0.045** (-2.44)
μ_{STAT}	-0.148*** (-6.95)	-0.164*** (-7.13)	-0.142*** (-6.63)
R^2	0.3627	0.3437	0.3413

5.3. Dynamic Results

Tables 8 and 9 show the results of estimating Eq. (6) using the specification finally selected, Eq. (5). In order to test whether the changes underwent during the whole period or, on the contrary, only took place in specific subperiods, we estimated the dynamic equation for the whole period (1991-2001²³ and 1991-2006) and for each five-year period where data were available (1991-1996, 1996-2001, and 2001-2006).

In the gross density case (Table 8), the empirical results are consistent with the aforementioned suburbanization process affecting both the CBD and subcenters through the reduction of their influence on the location of

²³In order to compare gross and net results, we also estimated gross density changes for the first 10 years.

population ($\beta_{\gamma_{CBD}} = 0.014 > 0$, $\beta_{\gamma_{SUB}} = -0.025 < 0$). In the CBD case, the process underwent during the whole period, whereas there was a slightly process of recentralization around the subcenters between 2001 and 2006 ($\beta_{\gamma_{SUB}} = 0.001 > 0$), although non-significant.

Table 8: Gross Density Location Changes

	Dynamic Equation (6) - $\Delta(\ln D)$				
	1991-1996	1996-2001	2001-2006	1991-2006	1991-2001
β_{α}	-0.077*** (-10.63)	-0.067*** (-10.79)	0.009 (0.80)	-0.136*** (-7.98)	-0.144*** (-12.83)
$\beta_{\gamma_{CBD}}$	0.005*** (12.70)	0.005*** (18.69)	0.004*** (9.13)	0.014*** (18.30)	0.010*** (18.32)
$\beta_{\delta_{SUB}}$	-0.013*** (-2.79)	-0.014*** (-6.44)	0.001 (0.49)	-0.025*** (-3.55)	-0.026*** (-4.68)
$\beta_{\mu_{FREEW}}$	-0.007 (-1.35)	-0.019*** (-4.55)	-0.011* (-1.67)	-0.037*** (-3.35)	-0.026*** (-3.36)
$\beta_{\mu_{RAMP}}$	-0.010*** (-3.88)	0.002 (0.80)	0.006** (2.45)	-0.002 (-0.36)	-0.008** (-2.34)
$\beta_{\mu_{OTHER}}$	-0.006** (-2.22)	0.009*** (3.68)	0.007 (1.04)	0.010 (1.10)	0.003 (0.59)
$\beta_{\mu_{STAT}}$	0.020*** (3.95)	0.018*** (5.52)	-0.001 (-0.13)	0.038*** (4.18)	0.038*** (5.51)
R^2	0.1265	0.1135	0.0142	0.097	0.1612

As for the transport infrastructure, the more clear result is related to the freeways and highways: Although from an static point of view they were not places of high densities (with the exception of the ramps), between 1991 and 2006 population density grew faster close to these main roads ($\beta_{\mu_{FREEW}} = -0.037 < 0$). Only in the first five-year period the changes were not significant. On the other hand, the access points of this infrastructure, the ramps, did not change significantly their influence on the location patterns. They began the period with an increasing influence ($\beta_{\mu_{RAMP}} = -0.010 < 0$). However, maybe because they got congested or maybe because of the lack of available land around them, they finished the period with density growing faster far away from them ($\beta_{\mu_{RAMP}} = 0.006 > 0$)²⁴.

²⁴These last five-year changes were enough to reduce the significance level of the 1991-

Futhermore, there were not significant changes in the location patterns related to the other main roads, although they lost influence during the last ten years ($\beta_{\mu_{OTHER}} > 0$). Finally, the suburbanization process also affected the railroad system through the lost of its influence during the whole period but, above all, in the first ten years ($\beta_{\mu_{STAT}} = 0.038 > 0$).

As a whole, the gross empirical results are consistent with a polycentric model which is losing influence on the location pattern of population, but also with an accessibility model which is more based on a parallel location pattern close to freeways-highways and less on a concentric pattern around railroad stations.

Regarding net density results (Table 9), that is, taking into account location and land consumption patterns, the suburbanization process is also detected affecting both the CBD and subcenters between 1991 and 2001 ($\beta_{\gamma_{CBD}} = 0.002 > 0$, $\beta_{\gamma_{SUB}} = -0.025 < 0$). However, unlike the gross density case, this process underwent during the whole period in the subcenters case and only in the last five years in the CBD case.

From a transport infrastructure point of view, 1991-2001 density changes were only significant for the ramps, showing a significant increasing influence ($\beta_{\mu_{RAMP}} = -0.016 < 0$). Like the gross density results, this significant increasing influence had its origin in the first five-year period ($\beta_{\mu_{RAMP}} = -0.015 < 0$), whereas it was not significant between 1996 and 2001. In the case of the freeway distance, its non-significant coefficient in 1991-2001 ($\beta_{\mu_{FREEW}} = 0.007 > 0$) is related to a positive and a negative significant coefficient in 1991-1996 and 1996-2001, respectively. On the contrary, a significant increasing influence in the first five years and a significant decreasing influence in the last five years explain the non-significant coefficients for the other main roads ($\beta_{\mu_{OTHER}} = -0.012 < 0$) and station distances ($\beta_{\mu_{STAT}} = 0.006 > 0$).

As a whole, the net empirical results are consistent with a spatial structure based on both polycentricity which is reducing its structuring role and an accessibility model which is reinforcing its concentric location pattern around ramps.

2001 changes and, as a result, the 1991-2006 changes were not significant. If these location changes continue in the future, the accessibility model related to this infrastructure will change from a concentric location pattern around ramps to a parallel location pattern close to the whole freeway-highway system.

Table 9: Net Density Location and Land Consumption Changes

	Dynamic Equation (6) - $\Delta(\ln D)$		
	1991-1996	1996-2001	1991-2001
β_α	0.051** (2.32)	-0.049*** (-5.47)	0.002 (0.11)
$\beta_{\gamma_{CBD}}$	-0.001 (-1.01)	0.003*** (8.93)	0.002*** (3.02)
$\beta_{\delta_{SUB}}$	-0.012* (-1.68)	-0.014*** (-4.58)	-0.025*** (-3.26)
$\beta_{\mu_{FREEW}}$	0.027** (2.47)	-0.019*** (-3.95)	0.007 (0.59)
$\beta_{\mu_{RAMP}}$	-0.015*** (-2.76)	-0.001 (-0.47)	-0.016*** (-2.76)
$\beta_{\mu_{OTHER}}$	-0.022*** (-3.12)	0.009*** (2.93)	-0.012 (-1.58)
$\beta_{\mu_{STAT}}$	-0.016* (-1.67)	0.023*** (6.03)	0.006 (0.66)
R^2	0.0123	0.0386	0.0084

6. Conclusions

New Urban Economics recognizes that employment and population location is structured not only around main centers, but also around transport infrastructure. However, most theoretical and empirical studies still adopt a “main center point of view” considering only three alternatives types of urban spatial structure: Monocentricity, polycentricity and dispersion. By doing so, these works neglect the possibility of a more transport infrastructure-related urban form, the accessibility city, in which employment and population located in the non-central areas organize around the transport infrastructure in a parallel or concentric decreasing density pattern.

Departing from the traditional density functions, this paper has presented a thorough analysis of the population location and land consumption patterns and their evolution between 1991 and 2006 in the metropolitan Barcelona. Unlike previous studies, not only polycentricity and dispersion has been considered as possible spatial models, but also the accessibility city. Furthermore, different subtypes of accessibility location models has been studied.

The empirical results are consistent with a population spatial structure

that is a mix between polycentricity and the accessibility model. In this sense, not only main centers structure the location and land consumption patterns of population in the non-central areas, but also ramps, other main roads and railroad stations. Furthermore, the longitudinal results verify that the suburbanization process that underwent during the 15 years studied reinforced this accessibility model, whereas main centers lost influence. As a result, if future spatial trends are similar to the ones detected in this study, the accessibility model will be the next preeminent spatial structure in the BMR.

References

- Alonso, W., 1964. *Location and Land Use. Toward a General Theory of Land Rent*. Cambridge, MA: Harvard University Press.
- Anas, A., Arnott, R., Small, K.A., 1998. Urban spatial structure. *Journal of Economic Literature* 36, 1426–1464.
- Anderson, N., Bogart, W.T., 2001. The structure of sprawl - identifying and characterizing employment centers in polycentric metropolitan areas. *American Journal of Economics and Sociology* 60, 147–169.
- Baum-Snow, N., 2007a. Did highways cause suburbanization? *The Quarterly Journal of Economics* 122, 775–805.
- Baum-Snow, N., 2007b. Suburbanization and transportation in the monocentric model. *Journal of Urban Economics* 62, 405–423.
- Baumont, C., Ertur, C., Le Gallo, J., 2004. Spatial analysis of employment and population density. the case of the agglomeration of dijon 1999. *Geographical Analysis* 36, 146–176.
- Bogart, W.T., Ferry, W., 1999. Employment centres in greater cleveland: Evidence of evolution in a formerly monocentric city. *Urban Studies* 36, 2099–2110.
- Bourne, L.S., 1989. Are new urban forms emerging? empirical test for canadian urban areas. *Canadian Geographer* 33, 312–328.

- Cervero, R., Landis, J., 1997. Twenty years of the bay area rapid transit system: Land use and development impacts. *Transport Research A* 31, 309–333.
- Cervero, R., Wu, K.L., 1997. Polycentrism, commuting, and residential location in the san francisco bay area. *Environment and Planning A* 29, 865–886.
- Clusa, J., Roca, J., 1997. El canvi d'escala de la ciutat metropolitana de barcelona. *Revista Econòmica de Catalunya* 33, 44–53.
- Coffey, W.J., Shearmur, R.G., 2002. Agglomeration and dispersion of high-order service employment in the montreal metropolitan region. *Urban Studies* 39, 359–378.
- Cox, W., Gordon, P., Redfearn, C.L., 2008. Highway penetration of central cities: Not a major cause of suburbanization. *Econ Journal Watch* 5, 32–45.
- Forstall, R.L., Green, R.P., 1997. Defining job concentrations. the los angeles case. *Urban Geography* 18, 705–739.
- Fujita, M., Ogawa, H., 1982. Multiple equilibria and structural transition of non-monocentric urban configurations. *Regional Science and Urban Economics* 12, 161–196.
- Garcia-López, M.A., 2010. Population suburbanization in barcelona, 1991-2005: Is its spatial structure changing? *Journal of Housing Economics* Forthcoming.
- Garcia-López, M.A., Muñiz, I., 2011. Employment decentralisation: Polycentricity or scatteration? the case of barcelona. *Urban Studies* 48 Forthcoming.
- Giuliano, G., Redfearn, C.L., 2007. Employment concentrations in los angeles, 1980-2000. *Environment and Planning A* 39, 2935–2957.
- Giuliano, G., Small, K.A., 1991. Subcenters in the los angeles region. *Regional Science and Urban Economics* 21, 163–182.

- Gordon, P., Richardson, H.W., 1996. Beyond polycentricity: The dispersed metropolis, los angeles 1970-1990. *Journal of the American Planning Association* 62, 289–295.
- Gordon, P., Richardson, H.W., Wong, H.L., 1986. The distribution of population and employment in a polycentric city. *Environment and Planning A* 18.
- Gordon, P., Richardson, H.W., Yu, G., 1998. Metropolitan and non-metropolitan employment trends in the us: Recent evidence and implications. *Urban Studies* 35, 1037–1057.
- Guillain, R., Le Gallo, J., Boietux-Orain, C., 2006. Changes in spatial and sectoral patterns of employment in ile-de-france, 1978-1997. *Urban Studies* 43, 2075–2098.
- Lang, R.E., 2003. *Edgeless Cities: Exploring the Elusive Metropolis*. Washington DC: Brookings Institution Press.
- Lee, B., 2007. “edge” or “edgeless” cities? urban spatial structure in us metropolitan areas, 1980 to 2000. *Journal of Regional Science* 47.
- Lucas, R.E.J., Rossi-Hansberg, E., 2002. On the internal structure of cities. *Econometrica* 70.
- McDonald, J.F., 1987. The identification of urban employment subcenters. *Journal of Urban Economics* 21, 242–258.
- McDonald, J.F., 1997. *Fundamentals of Urban Economics*. Upper Saddle River, NJ: Prentice Hall.
- McDonald, J.F., Prather, P.J., 1994. Suburban employment centers: The case of chicago. *Urban Studies* 31, 201–218.
- McMillen, D.P., 2001. Nonparametric employment subcenter identification. *Journal of Urban Economics* 50, 448–473.
- McMillen, D.P., 2003. Identifying sub-centres using contiguity matrices. *Urban Studies* 40, 57–69.

- McMillen, D.P., McDonald, J.F., 1997. A nonparametric analysis of employment density in a polycentric city. *Journal of Regional Science* 37, 591–612.
- McMillen, D.P., McDonald, J.F., 1998. Suburban subcenters and employment density in metropolitan chicago. *Journal of Urban Economics* 43, 157–180.
- McMillen, D.P., Smith, S.C., 2003. The number of subcenters in large urban areas. *Journal of Urban Economics* 53, 321–338.
- Mills, E.S., 1967. An aggregative model of resource allocation in a metropolitan area. *American Economic Review* 57, 197–210.
- Muñiz, I., Galindo, A., Garcia-López, M.A., 2003. Cubic spline population density functions and satellite city deliniation: The case of barcelona. *Urban Studies* 40, 1303–1322.
- Muñiz, I., Garcia-López, M., Galindo, A., 2008. The effect of employment sub-centres on population density in barcelona. *Urban Studies* 45, 627–649.
- Muth, R.F., 1969. *Cities and Housing: The Spatial Pattern of Urban Residential Land Use*. Chicago, IL: University of Chicago Press.
- Ogawa, H., Fujita, M., 1980. Equilibrium land use patterns in a nonmonocentric city. *Journal of Regional Science* 20, 455–475.
- Ogawa, H., Fujita, M., 1989. Nonmonocentric urban configurations in a two-dimensional space. *Environment and Planning A* 21, 363–374.
- Pfister, N., Freestone, R., Murphy, P., 2000. Polycentricity and dispersion? changes in center employment in metropolitan sydney. *Urban Geography* 41, 428–442.
- Redfearn, C.L., 2007. The topography of metropolitan employment: Identifying centers of employment in a polycentric urban area. *Journal of Urban Economics* 61, 519–541.
- Shearmur, R.G., Coffey, W.J., 2002. A tale of four cities: Intrametropolitan employment distribution in toronto, montreal, vancouver and ottawa-hull 1981-1996. *Environment and Planning A* 34, 575–598.

- Shearmur, R.G., Coffey, W.J., Dubé, C., Barbonne, R., 2007. Intrametropolitan employment structure: Polycentricity, scatteration, dispersal and chaos in toronto, montreal and vancouver 1996-2001. *Urban Studies* 44, 1713–1738.
- Small, K.A., Song, S., 1994. Population and employment densities - structure and change. *Journal of Urban Economics* 36, 292–313.
- Steen, R.C., 1986. Nonubiquitous transportation and urban population density gradients. *Journal of Urban Economics* 20, 97–106.
- Sullivan, A.M., 1986. A general equilibrium model with agglomerative economies and decentralized employment. *Journal of Urban Economics* 20, 55–74.
- White, H., 1980. A heteroscedasticity-consistent covariance matrix estimator and a direct test for heteroscedasticity. *Econometrica* 48, 817–838.
- White, M.J., 1976. Firm suburbanization and urban subcenters. *Journal of Urban Economics* 3, 323–343.
- White, M.J., 1999. Urban areas with decentralized employment: Theory and empirical work, in: Cheshire, P., Mills, E. (Eds.), *Handbook of Regional and Urban Economics Vol. 3: Applied Urban Economics*. Amsterdam: North-Holland, pp. 1375–1412.



2006

CREAP2006-01

Matas, A. (GEAP); **Raymond, J.Ll.** (GEAP)

"Economic development and changes in car ownership patterns"
(Juny 2006)

CREAP2006-02

Trillas, F. (IEB); **Montolio, D.** (IEB); **Duch, N.** (IEB)

"Productive efficiency and regulatory reform: The case of Vehicle Inspection Services"
(Setembre 2006)

CREAP2006-03

Bel, G. (PPRE-IREA); **Fageda, X.** (PPRE-IREA)

"Factors explaining local privatization: A meta-regression analysis"
(Octubre 2006)

CREAP2006-04

Fernández-Villadangos, L. (PPRE-IREA)

"Are two-part tariffs efficient when consumers plan ahead?: An empirical study"
(Octubre 2006)

CREAP2006-05

Artís, M. (AQR-IREA); **Ramos, R.** (AQR-IREA); **Suriñach, J.** (AQR-IREA)

"Job losses, outsourcing and relocation: Empirical evidence using microdata"
(Octubre 2006)

CREAP2006-06

Alcañiz, M. (RISC-IREA); **Costa, A.**; **Guillén, M.** (RISC-IREA); **Luna, C.**; **Rovira, C.**

"Calculation of the variance in surveys of the economic climate"
(Novembre 2006)

CREAP2006-07

Albalade, D. (PPRE-IREA)

"Lowering blood alcohol content levels to save lives: The European Experience"
(Desembre 2006)

CREAP2006-08

Garrido, A. (IEB); **Arqué, P.** (IEB)

"The choice of banking firm: Are the interest rate a significant criteria?"
(Desembre 2006)



CREAP2006-09

Segarra, A. (GRIT); Teruel-Carrizosa, M. (GRIT)

"Productivity growth and competition in spanish manufacturing firms:

What has happened in recent years?"

(Desembre 2006)

CREAP2006-10

Andonova, V.; Díaz-Serrano, Luis. (CREB)

"Political institutions and the development of telecommunications"

(Desembre 2006)

CREAP2006-11

Raymond, J.L.(GEAP); Roig, J.L.. (GEAP)

"Capital humano: un análisis comparativo Catalunya-España"

(Desembre 2006)

CREAP2006-12

Rodríguez, M.(CREB); Stoyanova, A. (CREB)

"Changes in the demand for private medical insurance following a shift in tax incentives"

(Desembre 2006)

CREAP2006-13

Royuela, V. (AQR-IREA); Lambiri, D.; Biagi, B.

"Economía urbana y calidad de vida. Una revisión del estado del conocimiento en España"

(Desembre 2006)

CREAP2006-14

Camarero, M.; Carrion-i-Silvestre, J.LL. (AQR-IREA); Tamarit, C.

"New evidence of the real interest rate parity for OECD countries using panel unit root tests with breaks"

(Desembre 2006)

CREAP2006-15

Karanassou, M.; Sala, H. (GEAP); Snower, D. J.

"The macroeconomics of the labor market: Three fundamental views"

(Desembre 2006)



2007

XREAP2007-01

Castany, L (AQR-IREA); **López-Bazo, E.** (AQR-IREA); **Moreno, R.** (AQR-IREA)
"Decomposing differences in total factor productivity across firm size"
(Març 2007)

XREAP2007-02

Raymond, J. Ll. (GEAP); **Roig, J. Ll.** (GEAP)
"Una propuesta de evaluación de las externalidades de capital humano en la empresa"
(Abril 2007)

XREAP2007-03

Durán, J. M. (IEB); **Esteller, A.** (IEB)
"An empirical analysis of wealth taxation: Equity vs. Tax compliance"
(Juny 2007)

XREAP2007-04

Matas, A. (GEAP); **Raymond, J.Ll.** (GEAP)
"Cross-section data, disequilibrium situations and estimated coefficients: evidence from car ownership demand"
(Juny 2007)

XREAP2007-05

Jofre-Montseny, J. (IEB); **Solé-Ollé, A.** (IEB)
"Tax differentials and agglomeration economies in intraregional firm location"
(Juny 2007)

XREAP2007-06

Álvarez-Albelo, C. (CREB); **Hernández-Martín, R.**
"Explaining high economic growth in small tourism countries with a dynamic general equilibrium model"
(Juliol 2007)

XREAP2007-07

Duch, N. (IEB); **Montolio, D.** (IEB); **Mediavilla, M.**
"Evaluating the impact of public subsidies on a firm's performance: a quasi-experimental approach"
(Juliol 2007)

XREAP2007-08

Segarra-Blasco, A. (GRIT)
"Innovation sources and productivity: a quantile regression analysis"
(Octubre 2007)



XREAP2007-09

Albalate, D. (PPRE-IREA)

“Shifting death to their Alternatives: The case of Toll Motorways”
(Octubre 2007)

XREAP2007-10

Segarra-Blasco, A. (GRIT); **Garcia-Quevedo, J.** (IEB); **Teruel-Carrizosa, M.** (GRIT)

“Barriers to innovation and public policy in catalonia”
(Novembre 2007)

XREAP2007-11

Bel, G. (PPRE-IREA); **Foote, J.**

“Comparison of recent toll road concession transactions in the United States and France”
(Novembre 2007)

XREAP2007-12

Segarra-Blasco, A. (GRIT);

“Innovation, R&D spillovers and productivity: the role of knowledge-intensive services”
(Novembre 2007)

XREAP2007-13

Bermúdez Morata, Ll. (RFA-IREA); **Guillén Estany, M.** (RFA-IREA), **Solé Auró, A.** (RFA-IREA)

“Impacto de la inmigración sobre la esperanza de vida en salud y en discapacidad de la población española”
(Novembre 2007)

XREAP2007-14

Calaeys, P. (AQR-IREA); **Ramos, R.** (AQR-IREA), **Suriñach, J.** (AQR-IREA)

“Fiscal sustainability across government tiers”
(Desembre 2007)

XREAP2007-15

Sánchez Hugalbe, A. (IEB)

“Influencia de la inmigración en la elección escolar”
(Desembre 2007)



2008

XREAP2008-01

Durán Weitkamp, C. (GRIT); Martín Bofarull, M. (GRIT) ; Pablo Martí, F.
“Economic effects of road accessibility in the Pyrenees: User perspective”
(Gener 2008)

XREAP2008-02

Díaz-Serrano, L.; Stoyanova, A. P. (CREB)
“The Causal Relationship between Individual’s Choice Behavior and Self-Reported Satisfaction: the Case of Residential Mobility in the EU”
(Març 2008)

XREAP2008-03

Matas, A. (GEAP); Raymond, J. L. (GEAP); Roig, J. L. (GEAP)
“Car ownership and access to jobs in Spain”
(Abril 2008)

XREAP2008-04

Bel, G. (PPRE-IREA) ; Fageda, X. (PPRE-IREA)
“Privatization and competition in the delivery of local services: An empirical examination of the dual market hypothesis”
(Abril 2008)

XREAP2008-05

Matas, A. (GEAP); Raymond, J. L. (GEAP); Roig, J. L. (GEAP)
“Job accessibility and employment probability”
(Maig 2008)

XREAP2008-06

Basher, S. A.; Carrión, J. Ll. (AQR-IREA)
Deconstructing Shocks and Persistence in OECD Real Exchange Rates
(Juny 2008)

XREAP2008-07

Sanromá, E. (IEB); Ramos, R. (AQR-IREA); Simón, H.
Portabilidad del capital humano y asimilación de los inmigrantes. Evidencia para España
(Juliol 2008)

XREAP2008-08

Basher, S. A.; Carrión, J. Ll. (AQR-IREA)
Price level convergence, purchasing power parity and multiple structural breaks: An application to US cities
(Juliol 2008)

XREAP2008-09

Bermúdez, Ll. (RFA-IREA)
A priori ratemaking using bivariate poisson regression models
(Juliol 2008)



XREAP2008-10

Solé-Ollé, A. (IEB), **Hortas Rico, M.** (IEB)

Does urban sprawl increase the costs of providing local public services? Evidence from Spanish municipalities

(Novembre 2008)

XREAP2008-11

Teruel-Carrizosa, M. (GRIT), **Segarra-Blasco, A.** (GRIT)

Immigration and Firm Growth: Evidence from Spanish cities

(Novembre 2008)

XREAP2008-12

Duch-Brown, N. (IEB), **García-Quevedo, J.** (IEB), **Montolio, D.** (IEB)

Assessing the assignation of public subsidies: Do the experts choose the most efficient R&D projects?

(Novembre 2008)

XREAP2008-13

Bilokach, V., **Fageda, X.** (PPRE-IREA), **Flores-Fillol, R.**

Scheduled service versus personal transportation: the role of distance

(Desembre 2008)

XREAP2008-14

Albalate, D. (PPRE-IREA), **Gel, G.** (PPRE-IREA)

Tourism and urban transport: Holding demand pressure under supply constraints

(Desembre 2008)



2009

XREAP2009-01

Calonge, S. (CREB); Tejada, O.

“A theoretical and practical study on linear reforms of dual taxes”
(Febrer 2009)

XREAP2009-02

Albalate, D. (PPRE-IREA); Fernández-Villadangos, L. (PPRE-IREA)

“Exploring Determinants of Urban Motorcycle Accident Severity: The Case of Barcelona”
(Març 2009)

XREAP2009-03

Borrell, J. R. (PPRE-IREA); Fernández-Villadangos, L. (PPRE-IREA)

“Assessing excess profits from different entry regulations”
(Abril 2009)

XREAP2009-04

Sanromá, E. (IEB); Ramos, R. (AQR-IREA), Simon, H.

“Los salarios de los inmigrantes en el mercado de trabajo español. ¿Importa el origen del capital humano?”
(Abril 2009)

XREAP2009-05

Jiménez, J. L.; Perdiguero, J. (PPRE-IREA)

“(No)competition in the Spanish retailing gasoline market: a variance filter approach”
(Maig 2009)

XREAP2009-06

Álvarez-Albelo, C. D. (CREB), Manresa, A. (CREB), Pigem-Vigo, M. (CREB)

“International trade as the sole engine of growth for an economy”
(Juny 2009)

XREAP2009-07

Callejón, M. (PPRE-IREA), Ortún V, M.

“The Black Box of Business Dynamics”
(Setembre 2009)

XREAP2009-08

Lucena, A. (CREB)

“The antecedents and innovation consequences of organizational search: empirical evidence for Spain”
(Octubre 2009)

XREAP2009-09

Domènech Campmajó, L. (PPRE-IREA)

“Competition between TV Platforms”
(Octubre 2009)



XREAP2009-10

Solé-Auró, A. (RFA-IREA), **Guillén, M.** (RFA-IREA), **Crimmins, E. M.**

“Health care utilization among immigrants and native-born populations in 11 European countries. Results from the Survey of Health, Ageing and Retirement in Europe”

(Octubre 2009)

XREAP2009-11

Segarra, A. (GRIT), **Teruel, M.** (GRIT)

“Small firms, growth and financial constraints”

(Octubre 2009)

XREAP2009-12

Matas, A. (GEAP), **Raymond, J.Ll.** (GEAP), **Ruiz, A.** (GEAP)

“Traffic forecasts under uncertainty and capacity constraints”

(Novembre 2009)

XREAP2009-13

Sole-Ollé, A. (IEB)

“Inter-regional redistribution through infrastructure investment: tactical or programmatic?”

(Novembre 2009)

XREAP2009-14

Del Barrio-Castro, T., **García-Quevedo, J.** (IEB)

“The determinants of university patenting: Do incentives matter?”

(Novembre 2009)

XREAP2009-15

Ramos, R. (AQR-IREA), **Suriñach, J.** (AQR-IREA), **Artís, M.** (AQR-IREA)

“Human capital spillovers, productivity and regional convergence in Spain”

(Novembre 2009)

XREAP2009-16

Álvarez-Albelo, C. D. (CREB), **Hernández-Martín, R.**

“The commons and anti-commons problems in the tourism economy”

(Desembre 2009)



2010

XREAP2010-01

García-López, M. A. (GEAP)

“The Accessibility City. When Transport Infrastructure Matters in Urban Spatial Structure”

(Febrer 2010)



xreap@pcb.ub.es