Published: 30/07/2014

### **TECCIENCIA**

### MEASUREMENT OF THE CARBON FOOTPRINT IN THE COMPANY SISTEMAS OPERATIVOS MÓVILES, TRANSMILENIO

M.Sc Carlos Díaz<sup>1</sup>, M.Sc William Rodríguez<sup>2</sup>, Esp. Erik Pinzón3, Adm Stephanie Vega.<sup>4</sup>

<sup>1</sup>Universidad del Bosque Bogota Colombia

- <sup>2,3,4</sup> Universidad Distrital
- <sup>1</sup> cardiro@gmail.com <sup>2</sup> willirodel@gmail.com
- ³epinzon@somos.co

<sup>4</sup>svega1216@gmail.com Accepted: 06/05/2014

#### ABSTRACT

One of the main environmental problems affecting the current world is related to climate change; high  ${\rm CO_2}$  emissions of greenhouse gases have intervened directly with this change. The purpose of this study was to measure the carbon footprint that supposes the quantification of greenhouse gases by using the basic principles and requisites of the ISO 14.064–1: 2006 standard; specifications aimed at the organizational level to quantify and notify greenhouse gas emissions. The study was conducted in the company Sistemas Operativos Móviles, Transmilenio, which has an active fleet of 160 articulated buses.

KEY WORDS: Carbon dioxide, Greenhouse gases (GHG), carbon footprint

#### **RESUMEN**

Una de las principales problemáticas ambientales que afecta el mundo actual está relacionada con el cambio climático, las altas emisiones de  ${\rm CO_2}$  como parte de los gases de efecto invernadero, han intervenido directamente con este cambio. El propósito de este estudio es realizar la medición de la Huella de Carbono que supone la cuantificación de los gases de efecto invernadero, mediante la utilización de los principios básicos y requisitos de la norma ISO 14.064-1: 2006; Especificaciones con orientación, a nivel de la organización, para la cuantificación y notificación de las emisiones de gases efecto invernadero. El estudio tiene lugar en la empresa Sistemas Operativos Móviles, Transmilenio, que cuenta con una flota activa de 160 buses articulados.

PALABRAS CLAVE: Dióxido de carbono, Gases Efecto Invernadero (GEI), huella de carbono

#### 1. INTRODUCTION

The special report by the Inter-government Group of Experts on Climate Change (IPCC, for the term in Spanish) on emissions scenarios projects an increase of global greenhouse gases (GHG) emissions between 25 and 90% (CO<sub>2</sub>-eq) between 2000 and 2030 [1].

The report by the IPCC working group, titled Cli-

mate Change 2014: Impact, adaptation, and vulnerability details the impact of climate change to date, concluding that responding to climate change supposes making decisions on the actions and possible risks in a changing world [2].

Colombia is not alien to this theme, which is



why the IPCC made an inventory of greenhouse gases for 2004 and concluded that the Colombian contribution to global emissions is around 0.37% of the world's total [3]. According to the Colombian Ministry of the Environment and Sustainable Development, the volume of these emissions has shown a tendency to increase over time. Between 1990 and 2004, the emissions increased by 39%, over 180 million tCO<sub>2</sub>eq of the total emitted in the world that reaches 49 billion tCO<sub>2</sub>eq [4].

The sectors contributing the most to GHG emissions in 2004 were: agriculture (38%); energy (37%), highlighting the transportation sector with (12%), and use of soil, change of use of soil and forestry with (14%) [5]. For Colombia, the mobilization process causes 21,601,200  $tCO_2$ eq of the national total.

This document seeks to recognize the GHG emitted onto the atmosphere through the use of emission factors for the company Sistemas Operativos Móvibles, Transmilenio. The company has an active fleet of 160 articulated buses, being one of the most used means of mass transportation in Bogotá, Colombia.

#### 1.1 Carbon footprint

The carbon footprint analyzes GHG emissions during the life cycle of any product or service; it encompasses raw materials, production, and distribution, that is, the product or service in all its links and, thus, quantify the total emissions produced [6].


Calculation of the GHG emissions released onto the atmosphere as a consequence of any activity is what we denominate carbon footprint [7]. Measurement of the carbon footprint is done by following the ISO 14064-1:2006 standard guidelines, which contain technical specifications for the quantification and the report of GHG emissions at organizational levels [8]. After that, a measurement model was developed for the company to quarantee continuity to the annual quantification of emissions and, thus, evaluate the critical points with the greatest generation of GHG, achieving the development of mitigation programs and contributing to diminished levels of emissions produced nationally. As indicated by Marta Martín, responsible for the consultancy and training department of the consulting company dedicated exclusively to energy efficiency (CREARA), "what is important is that from the our carbon footprint it is possible to know where the GHG come from, which allow us to implement measures to diminish harmful gases emitted onto the atmosphere" [9].

#### 2. MATERIALS AND METHODS

Graphic 1 describes the methodology based on the ISO 14064-1 standard: quantification and report of GHG emission and removal at organizational levels. This methodology is later used in measuring the carbon footprint of the company Sistemas Operativos Móvibles, TransMilenio.



Graphic 1. ISO 14064-1 Methodology



Source: Authors, 2014. Compiled from the norm [10]



#### 2.1 Organizational limits

To define the organizational limits, it is important to know how the company is constituted and over which of its activities (financial and/or operational) it exerts control [11].

The company, Sistemas Operativos Móviles, was founded in 2002 under the legal structure of joint stock Company, backing the new transportation modality implemented in the city of Bogotá, by bidding as route operator in phase II and obtaining the contract with TransMilenio S.A. for *Patio Américas* (Bogotá).


Its main object and social activity is the mass transportation of passengers in the city of Bo-

gotá, through the availability and maintenance of the fleet of buses. Its main activities include: fuel supply, washing of buses, motor repair, change of spare auto parts, body maintenance (body work and paint), management of tires, and administrative management of all these activities for the good operation of the fleet of buses and of the organization.

#### 2.2 Operational Limits

Establishment of operational limits includes identification of GHG emissions associated to the operations of the organization, these emissions are classified as shown in Graphic 2.

#### Graphic 2. Classification of emissions




Source: Authors, 2014. Compiled from the norm (ISO 14064-1)



To establish the operational limits of the processes that generate missions in the company, an analysis of the internal procedures was carried out to study the inputs (materials, raw material, energy, etc.), processes (transformation, procedures, activi-

ties), and outputs (wastes, residues, emissions) to determine the emission sources for the mobilization of the fleet. Graphic 3 shows the operational limits, determined from the analysis of the procedures.



C. Diaz, et al. "measurement of the carbon footprint in the company sistemas opertaivos moviles, transmilenio" TECCIENCIA vol 9 num 16, p 123–140, June 2014



#### 2.3 Quantification of Emissions

Quantification of emissions leads to the following steps or procedures:

#### 2.31 Identification of emission sources

According to the classification of type of emissions (Graphic 2), and upon defining the operational limits (Graphic 3), we proceed to identify emission sources with their corresponding scope, as shown in Table 1.

Table 1. Identification of emission sources

	VEHICLE	PREPARATION	EMISSIONS	TYPE OF EMISSION	SCOPE				
	FUEL SUPPLY	Fuel supply fleet SOMOS K S.A.	BIODIESEL (8%) DIESEL (92%)	CO <sub>2</sub>	Direct emis- sions	1			
	Energy consumption, EDS.	ELECTRICITY	ELECTRICITY CO <sub>2</sub>		2				
MISSION PROCESSES	WASHING OF BUSES (this area is handled by a third company, SO- MOS assumes the cost of energy )	Energy consumption	ELECTRICITY	CO <sub>2</sub>	Indirect emissions. Electricity purchased	2			
ION PRO	HYDRO WASHER	Fuel consumption	GASOLINE	CO <sub>2</sub>	Direct emis- sions	1			
IISSI									
2		Maintenance of motor and adjacent systems	COOLANT	NA	NA Compo- nents do not generate GHG	-			
	PREVENTIVE AND COR- RECTIVE MAINTENANCE Energy consumption	ELECTRICITY	CO <sub>2</sub>	Indirect emis- sions. Electric- ity pur- chased	2				



	VEHICLE PREPARATION					IISSIONS	TYPE OF EMISSION	SCOPE
	CASINO (this area is	Energy consumption	ELI	ECTRICITY		CO <sub>2</sub>	Indirect emis- sions. Electric- ity purchased	2
	handled by a third com- pany, which assumes the cost of natural gas and the energy is paid by SOMOS K) Industrial stove	NATURAL GAS		Direct emis- sions.  CO <sub>2</sub> Fixed combus- tion (third parties)		emis- sions. Fixed combus- tion (third	3	
	ELECTRIC PLANT	Fuel consumption	BIODIESEL (8%) DIESEL (92%)		CO <sub>2</sub>		Direct emis- sions. Fixed combustion	1
BUILDING		Energy consumption	ELI	ECTRICITY	CO <sub>2</sub>		Indirect emis- sions. Electric- ity purchased	2
BUI	ADMINISTRATION	PAPER				Other indirect emis-sions.	3	
	Consumption of paper Air conditioning	COOLANT	DLANT HCFC		Fugitive emissions		1	
	Trips de la company Use of extinguishers	FUEL		CO <sub>2</sub>		Other indirect emis-sions.	3	
		CO <sub>2</sub> and CHCL2-CF3		CO <sub>2</sub>		Fugitive emis- sions.	1	
	MAINTENANCE OF INFRASTRUCTURE	Use of scythe	GASOLINE			CO <sub>2</sub>	Direct emis- sions. Mobile combustion	1



130

## **TECCIENCIA**

## 2.3.2 Selection of the quantification methodology

The method used to quantify GHG emissions is a calculation based on the use of emission factors. The factors permit estimating GHG emissions from the available data of activities (like tons of fuel consumed, tons of product produced, energy consumed); the general formula to apply the emission factors is shown by the following:

Level of Activity \* Emission factors = GHG emissions (1)

#### 2.3.3 Data selection and collection

The data collected to quantify the carbon footprint were taken from 2012 and 2013 through the checklist tool (Table 2), which permits compiling in simple manner the data required [13].

Table 2. Check list for data collection

CHECK LIST – COLLECTION OF CONSUMPTION DATA									
Docu	Documents to evaluate: TransMilenio reports, CODENSA invoices, FENOSA natural gas invoices, petty								
Date:	cash reimbursements, technical data sheet for coolant, paper ream purchase								
		and TERPEL re	ports.						
ITEM	DESCRIPTION								
1	MISSION PROCESS	AMOUNT	UNIT						
1,1	FUEL SUPPLY								
1,1,1	Consumption of biodiesel for 160 articulated buses		gal/year						
1,1,2	Consumption of biodiesel electric plant		gal/year						
1,2,3	energy consumption		KWh/year						
1,2	WASHING								
1,2,1	Gasoline consumption. Hydro washer		gal/year						
1,2,2	Energy consumption		KWh/year						
1,3	MAINTENANCE AREA								
1,3,1	Energy consumption		KWh/year						
2	SUPPORT PROCESSES								
2,1	ADMINISTRATIVE BUILDING								
2,1,1	Energy consumption		KWh/year						
2,1,2	Consumption of coolant		lb/year						
2,1,3	Business trips		Trips/year						
2,1,4	Consumption of paper		Sheets/year						
2,2	CASINO								
2,2,1	Natural gas consumption		m³/year						
2,2,2	Energy consumption		KWh/year						
2,3	MAINTENANCE OF INFRASTRUCTURE								
2,3,1	Energy consumption		KWh/year						
2,3,2	Fuel consumption (scythe)		gal/year						

Source: Authors, 2014



The check list was used to gather information from different GHG emission sources in company areas; Tables 3 and 4 present the data collected for 2012 and 2013.

Table 3. Collection of data for 2012

SISTI	EMAS OPERATIVOS M	ÓVILES, TRANSMILEN	110	
	DESCRIPTION	CONSUMPTIONS	UNIT	2012
	MOBILE S	SOURCES	UNII	2012
	158 ARTICULATED VEHICLES	BIODIESEL (8%) DIESEL (92%)	(gal/year)	2,046,039.19
SCOPE 1. DIRECT EMISSIONS	USE OF SCYTHE	GASOLINE	(gal/year)	128.4566336
	FIXED S	OURCES		
	ELECTRIC PLANT	BIODIESEL (8%) DIESEL (92%)	(gal/year)	82.55
	FUGITIVE	SOURCES		
	EXTINGUISHERS	CO <sub>2</sub>	(lb/year)	60
	EXTINGUISHERS	CHCL2-CF3+(SK1)	(lb/year)	24.47
	AIR CONDITIONING / SYSTEMS. 1) 12.000 Btu	HCFC-22 COOLANT	(lb/year)	1.1023
SCOPE 2. INDIRECT EMISSIONS	ENERGY ACQUIRED	ELECTRICITY	(kWh/year)	641,200.00
	CONSUMPTION	ON OF PAPER		
	WHITE BO	ND PAPER	Thousands of sheets/year	192.00
	INDUSTRIAL STOVE	NATURAL GAS	(m³/year)	3507.00
	AIR TRANSP	PORT / TRIPS		
	BOGOTÁ - B/ B/Q - BOG		(Trips/year)	6.5
SCOPE 3. OTHER INDIRECT	BOGOTÁ - PERI PEREIRA - BOG		(Trips/year)	1
EMISSIONS SCOPE 3. OTHER INDIRECT	BOGOTÁ- CARTA CARTAGENA- BOG		(Trips/year)	19
EMISSIONS	BOGOTÁ-CA CALI-BOG	ALI-BOGOTÁ IOTÁ-CALI	(Trips/year)	3
	BOGOTÁ-MEDI MEDELLÍN-BOG		(Trips/year)	3
	BOGOTÁ-PAS PASTO-BOG		(Trips/year)	1
	BOGOTÁ-CARTAGI		(Trips/year)	5
	BOGOTÁ-LIN	иА-BOGOTÁ	(Trips/year)	5
	BOGOTÁ-SANTO D	OMINGO-BOGOTÁ	(Trips/year)	7



Table 4. Collection de data 2013

	SISTEMAS OPERAT	TIVOS MÓVILES, TRANSM	MILENIO	
	DESCRIPTION	CONSUMPTIONS	UNIT	2013
	MOBILE SO	URCES		
	160 ARTICULATED VEHICLES	BIODIESEL (8%) DIESEL (92%)	(gal/year)	2,142,664.51
SCOPE 1.	USE OF SCYTHE	GASOLINE	(gal/year)	89.2728795
DIRECT	FIXED SOU	RCES		
EMISSIONS	ELECTRIC PLANT	BIODIESEL (8%) DIESEL (92%)	(gal/year)	120.241
	HYDRO WASHER	GASOLINE	(gal/year)	16.7484149
	FUGITIVE SO	URCES		
	EXTINGUISHERS	CO <sub>2</sub>	(lb/year)	60
	EXTINGUISHERS	CHCL2-CF3+(SK1)	(lb/year)	36.37
	AIR CONDITIONING / SYSTEMS 1) 12,000 Btu 2) 24,000 Btu	HCFC-22 COOLANT	(lb/year)	3.5253
SCOPE 2. INDIRECT EMISSIONS	ENERGY ACQUIRED	ELECTRICITY	(kWh/year)	588,400.00
	CONSUMPTION			
	WHITE BOND PAPER		thousands of sheets/year	192.00
	INDUSTRIAL STOVE	NATURAL GAS	(m³/year)	4811.00
COORE	AIR TRANSPOR	T / TRIPS		
SCOPE 3. OTHER	BOGOTÁ – B/Q – BOGOTÁ	B/Q - BOGOTÁ- B/Q	(Trips/year)	13
INDIRECT EMISSIONS	BOGOTÁ - PEREIRA - BOGOTÁ BOGOTÁ - PE		(Trips/year)	48
	BOGOTÁ - CAF CARTAGENA-		(Trips/year)	2
	BOGOTÁ-VALLEDUPAR-R	IOHACHA-BOGOTÁ	(Trips/year)	1
	B/Q-BOGOTÁ-CA	ARTAGENA	(Trips/year)	1



#### 2.3.4 Election of emission factors

An emission factor is a representative value that seeks to relate the amount of a contaminant emitted onto the atmosphere with an amount associated to the launching of this contaminant. [14]. The compendium of emission factors has been published since 1972 by international entities, like: the Environmental Protection Agency (EPA) and IPCC among others [15].

For Transmilenio, collection of emission factors was obtained from reliable sources issued by reliable authorities like: the Energy Mining Planning Unit (UPME, for the term in Spanish), IPCC, the International Civil Aviation Organization (ICAO), and from Secretaría Distrital de Ambiente (SDA). Tables 5 and 6 show the collection of the emission factors for the company.

**Table 5. Emission factors** 

	EMISSION FACTOR	UNIT	BIBLIOGRAPHIC SOURCE OF THE FACTOR
BIODIESEL (8%) DIESEL (92%)	0.009444578	t CO <sub>2</sub> / gal	Emission factor for Colombian fuels (FECOC)
GASOLINE	0.008151631	t CO <sub>2</sub> / gal	2003, bearing in mind the process of conversion to
NATURAL GAS	0.0018624138	t CO <sub>2</sub> / m³	gallons of CO <sub>2</sub>
R-22 COOLANT	0.684	t CO <sub>2</sub> / Ib	SECRETARÍA DISTRITAL DE AMBIENTE- STORM CALCULATOR User 2,2
			Emission factor of energy
ELECTRICITY	0.000153	tCO <sub>2</sub> /KWh	extracted from the Energy International Agency (EIA) for Colombia (153 g CO <sub>2</sub> / KWh) 2012 [17]
			SECRETARÍA DISTRITAL DE
PAPER	0.00085	t CO <sub>2</sub> / Thousands of sheets	AMBIENTE- STORM CAL- CULATOR User 2,2 [16]
CO <sub>2</sub> EXTINGUISHER	0.000453592	t CO <sub>2</sub> /lb	IPCC
CHCL2-CF3 Extinguisher	0.0349266	t CO <sub>2</sub> /CHCL2-CF3	IPCC



Table 7 compiles the emission factors for business trips made by the company.

#### Table 6. Emission factors per trips

EMISSION FACTORS TRIPS			t of CO <sub>2</sub> eq/trip
ORIGIN	DESTINATION		
BOGOTÁ	LIMA	BOGOTÁ	0.30475
BOGOTÁ	SANTO DOMINGO	BOGOTÁ	0.25258
BOGOTÁ	BARRANQUILLA		0.08018
BOGOTÁ	BARRANQUILLA	BOGOTÁ	0.16051
BOGOTÁ	CARTAGENA		0.08037
BOGOTÁ	CARTAGENA	BOGOTÁ	0.16074
BOGOTÁ	MEDELLÍN		0.02792
BOGOTÁ	MEDELLÍN	BOGOTÁ	0.05585
BOGOTÁ	CALI		0.04908
BOGOTÁ	CALI	BOGOTÁ	0.09814
BOGOTÁ	PEREIRA	BOGOTÁ	0.08259
BOGOTÁ	PASTO PASTO	BOGOTÁ	0.13094
BOGOTÁ-VALLE	RIOHACHA	BOGOTÁ	0.33211
BOGOTÁ-CARTA	BARRANQUILLA	BOGOTÁ	0.18273
BARRANQUILLA	BOGOTÁ	CARTAGENA	0.16055

Source: Authors, 2014. Compiled from [20]

#### 2.3.5 Calculation of the carbon footprint

To obtain the total emissions in units of tCO<sub>2</sub>eq/ year, equations were used according to the quan-

tification methodology that states: level of activity, multiplied by the emission factor. The formulas are shown ahead:

A. Formula to calculate emissions through fuel consumption:

Consumption of biodiesel Emission factor (gal/year) \* 0.009444578 (t of  $CO_2/gal$ ) = t  $CO_2$  eq/year (2) A.. Formula to calculate emissions through gasoline consumption:

Gasoline consumption (gal/ Emission factor = t  $CO_2$  eq/year (3)

B. Formula to calculate emissions through natural gas consumption:



C. Formula to calculate emissions through energy consumption:

Energy consumption (kWh/ Emission factor  $tCO_2$  eq/year (5) year) \* 0.000153 (t of  $CO_2/kWh$ ) =

D. Formula to calculate emissions through coolant consumption:

Coolant consumption Emission factor  $tCO_2 eq/year$  (6) (lb/year) \* 0.684 (t of  $CO_2/lb$ ) =

E. Formula to calculate emissions through consumption of CHCL2-CF3 extinguisher:

Consumption of CHCL2-CF3 Emission factor  $tCO_2 eq/year$  (7) (lb/year) \* 0.0349266 (t of  $CO_2/lb$ ) =

F. Formula to calculate emissions through consumption of paper

Consumption of paper (Thousands of sheets/year) \* Emission factor 0.00085 (t of  $CO_2$ /Thousands  $tCO_2$  eq/year (8) of sheets)

G. Formula to calculate emissions through trips.

Destination \* No. Of tickets (trips/year)

Emission factor (According to destination)  $(t \circ CO_2/trips)$   $(t \circ CO_2/trips)$   $(t \circ CO_2/trips)$   $(t \circ CO_2/trips)$   $(t \circ CO_2/trips)$ 

#### 3. RESULTS

Carbon footprint measurements for the company
Sistemas Operativos Móviles showed for 2012 a to
emission sources are shown in Table 7.



Table 7. Results of emissions 2012

	SISTEMA:	S OPERATIVO	OS MÓVILES, T	RANSMILENIO :	2012	
	DESCRIPTION	LIMIT	2012	EMISSION	HAUT	EMISSIONS
	MOBILE SOURCES	UNIT	2012	FACTORS	UNIT	tCO2 eq/year
	158 ARTICULATED VE- HICLES	(gal/year)	2,046,039.19	0.009444578	tCO2/gal of biodiesel	19,323.976
SIONS	USE OF SCYTHE	(gal/year)	128.4566336	0.008151631	tCO2/gal of gasoline	1.047131057
EMIS	FIXED SOURCES					
SCOPE 1. DIRECT EMISSIONS	ELECTRIC PLANT	(gal/year)	82.55	0.009444578	tCO2/gal of diesel	0.779678231
-	FUGITIVE SOURCES					
30 PE	EXTINGUISHERS CO2	(lb/year)	60	0.000453592	tCO2/lb	0.027
S	EXTINGUISHERS CHCL2- CF3	(lb/year)	24.47	0.0349266	tCO2/CHCL2- CF3	0.854654
	AIR CONDITIONING / SYS- TEMS. 1) 12,000 Btu	(lb/year)	1.1023	0.684	tCO2/lb of coolant	0.7539732
	TOTAL DIRECT EMISSIONS	19,327.44				
2	ENERGY ACQUIRED	(kWh/year)	641,200.00	0.000153	tCO2/kWh	98.1036
		ı	I		I	
	CONSUMPTION OF PAPER					
	WHITE BOND PAPER	Thousands of sheets/ year	192.00	0.00085	tCO2/thou- sands of sheets	0.1632
SNO	INDUSTRIAL STOVE	(m3/year)	3507.00	0.001862414	tCO2/m3	6.531485197
ISSIC			AIR TRANSPO	ORT		
ECT EM	BOGOTÁ - B/Q - BOGOTÁ B/Q - BOGOTÁ- B/Q	(Trips/year)	6.5	0.16051	tCO2 /trip	1.043315
OTHER INDIRECT EMISSIONS	BOGOTÁ - PEREIRA -BO- GOTÁ PEREIRA - BOGOTÁ - PEREIRA	(Trips/year)	1	0.08259	t CO2/trip	0.08259
SCOPE 3. 0	Btá. – CARTAGENA- Btá. CARTAGENA- Btá. –CARTA- GENA	(Trips/year)	19	0.16074	tCO2/trip	3.05406
	BOGOTÁ-CALI-BOGOTÁ CALI-BOGOTÁ-CALI	(Trips/year)	3	0.09814	tCO2/trip	0.29442
	BtáMEDELLÍN- Btá. MEDELLÍN-BtáMEDELLÍN	(Trips/year)	3	0.05585	tCO2/trip	0.16755
Escuela Colombiana	de Carreras Industriales		C. Diaz, et	al. "measurement of the ca	rbon footprint in the comp	any sistemas opertaivos



	BOGOTÁ-PASTO-BOGOTÁ PASTO-BOGOTÁ-PASTO	(Trips/year)	1	0.13094	tCO2/trip	0.13094	
	BtáCARTAGENA-B/Q- Btá.	(Trips/year)	5	0.18273	tCO2/trip	0.91365	
	BOGOTÁ-LIMA-BOGOTÁ	(Trips/year)	5	0.30475	tCO2/trip	1.52375	
	BtáSANTO DOMINGO- Btá.	(Trips/year)	7	0.25258	tCO2/trip	1.76806	
	TOTAL OTHER EMIS- SIONS					15.6730	
	TOTAL CO2 EMISSIONS 2012						

Source: Authors, 2014.

Carbon footprint measurements for the company Sistemas Operativos Móviles showed for 2013 a total of 20,348.12  $tCO_2$ eq. These values classified by sources are shown in Table 8.

Table 8. Result of emissions 2013

SISTEMAS OPERATIVOS MÓVILES, TRANSMILENIO 2014							
	DESCRIPTION			EMISSION		EMISSIONS	
	MOBILE SOURCES	UNIT	2013	FACTORS	UNIT	t of CO2 eq/	
					.00-1	year	
	160 ARTICULATED VEHICLES	(gal/year)	2,142,664.51	0.009444578	tCO2/gal de diesel	20,236,561.66	
NS	USE OF SCYTHE	(gal/year)	89.2728795	0.008151631	tCO2/m3 de gasoline	0.727719559	
SSIO	FIXED SOURCES				gasoniic		
1. DIRECT EMISSIONS	ELECTRIC PLANT	(gal/year)	120.241	0.009444578	tCO2/m3 de diesel	1.135625479	
PE 1. DIF	HYDRO WASHER	(gal/year)	16.7484149	0.008151631	tCO2/gal of gasoline	0.136526895	
SCOPE	FUGITIVE SOURCES						
01	EXTINGUISHERS	(Lb/year)	60	0.000453592	tCO2/lb	0.02722	
	EXTINGUISHERS	(Lb/year)	36.37	0.0349266	tCO2/CHCL2- CF3	1.270280	
	AIR CONDITIONING / SYSTEMS 1) 12,000 Btu 2) 24,000 Btu	(Lb/year)	3.5253	0.684	tCO2/lb of coolant	2.4113052	
	TOTAL DIRECT EMISSIONS	20,242.27					



138

### **TECCIENCIA**

2.	ENERGY ACQUIRED	(KWh/ year)	588,400.00	0.000153	tCO2/KWh	90.0252	
	CONSUMPTION OF PAPER						
		thou-					
S	WHITE BOND PAPER	sands of	192.00	0.00085	tCO2/sheet	0.1632	
SION	WITTE BOILD I'M EN	sheets/	102.00	0.00000	1002/311000	0.1032	
/IIS		year					
OTHER INDIRECT EMISSIONS	INDUSTRIAL STOVE	(m3/year)	4811.00	0.00186241	tCO2/m3	8.96005451	
REC	AIR TRANSPORT / TRIPS						
IND	BOGOTÁ – B/Q - BOGOTÁ	(Trips/	13	0.16051	tCO2/trip	2.08663	
FR	B/Q - BOGOTÁ- B/Q	year)	13				
	BOGOTÁ - PEREIRA - BOGOTÁ	(Trips/	48	0.08259	tCO2/trip	3.96432	
٦.	PEREIRA - BOGOTÁ - PEREIRA	year)	40	0.06259	ισοζητήρ	3.30432	
SCOPE 3.	BOGOTÁ - CARTAGENA	(Trips/	2	0.08037	tCO2/trip	0.16074	
V1	CARTAGENA - BOGOTÁ	year)	2	0.00037	(CO2/(11p	0.10074	
	BOGOTÁ-VALLEDUPAR-RIO-	(Trips/	1	0.33211	+002/+*:*	0.33211	
	HACHA-BOGOTÁ	year)	I	0.33211	tCO2/trip	0.33211	
	B/Q-BOGOTÁ-CARTAGENA	(Trips/	1	0.16055	tCO2/trip	0.16055	
	DIG-DOGOTA-CANTAGENA	year)	1	0.10033	ico2/trip	0.10033	
	TOTAL OTHER EMISSIONS					15.82760451	

**TOTAL CO2 EMISSIONS 2013** 

20,348.12

Source: Authors, 2014

#### 4. CONCLUSIONS

For base year 2012, emissions through fuel consumption present a total of 19,323.97  $tCO_2$ eq and through energy consumption a total of 98.10  $tCO_2$ eq, with these emission sources being the most representative for a total organizational carbon footprint of 19,441.22  $tCO_2$ eq.

For 2013, the carbon footprint was equivalent to 20,348.12 tCO $_2$ eq; this was due to the increase of the fleet and, hence, the amount of fuel consumed, which increased by around 96,625.32 gal. This consumption corresponds to the emission of 912.58 tCO $_2$ eq; with respect to emissions from en-

ergy, consumption diminished by 52,800 kWh that correspond to the reduction of 8 tCO<sub>2</sub>eq/year.

Implementation of projects aimed at mitigating fuel consumption will reduce GHG emissions considerably.

Even though direct comparisons cannot be made of the emissions quantified with the total national emissions, because we have different years, it could be said that if we took as a starting point the emissions data provided by Colombia for 2004, which is 0.37% (180,010,000 tCO<sub>2</sub>eq), the 20,348.12 tCO<sub>2</sub>eq/ year for 2013 from the company Sistemas Operativos Móviles correspond to 0.011% of the 0.37% of the country's emissions.



Although the total emissions through fuel consumption represent 98% of the total emissions, 0.5% is caused by the use of electric energy, reflecting inefficiency regarding the application of low-consumption technologies.

#### REFERENCES

- [1] IPPC, «Informe Especial del IPCC Escenarios de Emisiones. IE-EE,» 2000.
- [2] IPCC, «Cambio Climático 2014, Impacto, adaptación y vulnerabilidad,» 2014.
- [3] BID, «Mecanismo para la mitigacion voluntaria de emisiones de carbno en Colomiba,» 2012. [On line]. Available:
  - http://www.corporacionambientalempresarial.org.co/documentos/780\_TDR\_Especialista\_Huella\_de\_Carbono.pdf. [Last access: April 21, 2013].
- [4] Ministerio de Ambiente y Desarrollo Sostenible, «Memoria de la segunda comunicación nacional de Colombia ante la CMNUCC,» 2010. [On line]. Available: http://www.miniambiente.gov.co/documentos/5783\_res\_ejecut\_segun\_comun\_camb\_clima.pdf. [Last access: 21 April 2013].
- [5] IDEAM, «Capítulo dos. Inventario de Emisiones de gases efecto invernadero,» Bogotá, 2007.
- [6] E. VIGLIZZO, «Huella de carbono, ambiente y agricultura en el Cono Sur de Sudamerica,» Montevideo, Uruguay, 2010.
- [7] O. d. S. d. España, «Manual de cálculo y reducción de huella de carbono para actividades de transporte por carretera,» Estudio Gráficos Europeos, España, 2010.
- [8] SGS, «SGS,» 2013. [On line].
- [9] PNUMA, «Programa de las Naciones Unidas

para el Medio Ambiente,» 12 August 2011. [On line]. Available: http://www.pnuma.org/informacion/noticias/2011-08/12/.

- [10] 14064-1, 2006.
- [11] SDA, Huella de carbono, Bogotá, 2013.
- [12]V. CONESA, Guía metodológica para la evaluación del impacto ambiental, 2009: Mundi-Prensa libros, 2009.
- [13]EPA, «Agencia de Protección Ambiental de los Estados Unidos,» 2013. [On line]. Available: http://www.epa.gov/ttn/chief/ap42/.
- [14] MAVDT, «Ministerio de Ambiente y Desarrollo Sostenible,» 2009. [On line]. Available: http://www.minambiente.gov.co/documentos/4169\_051009\_fuentes\_puntuales.pdf.
- [15]SDA, «Secretaría Distrital Ambiente. Calculadora de CO<sub>2</sub> STORM,» 2013. [On line]. Available: http://www.ambientebogota.gov.co/web/sda/calculadora-co2-storm1. [Last access: 20 November 2013].
- [16] UPME, «Factores de emisión de los combustibles fósiles,» Bogotá, 2003.
- [17]ICAO, «International civil aviation organization,» 2013. [On line]. Available: http://www.icao.int/Pages/default.aspx. [Last access: 4 September 2013].
- [18 UPME, [On line]. Available: www1.upme.gov.co/glosario/letter\_a. [Last access: 27 March 2013].
- [19] CAEM, «Corporacion Ambiental Empresarial,» June 2013. [On line]. Available: http://www.corporacionambientalempresarial.org.co/.
- [20]EIA, «Energy International Agency. CO<sub>2</sub> emissions from fuel combustion higlights,» 2012. [On line]. Available: http://www.eia.gov. [Last access: 7 August 2013].



[21] GHG, «Greenhouse gas protocol,» 2013. [On line]. Available: http://www.ghgprotocol.org/. [Last access: October 2013].

[22] UNAD, «Universidad Nacional Abierta y a Distancia,» 2009. [On line]. Available: http://datateca.unad.edu.co/.



