Vol. 01 Nro. 03 Lamkasun



Diciembre - 2020

Anatomy dental during the COVID-19

Anatomia dentária durante o COVID-19

Anatomía dental durante el COVID-19

10.47797/llamkasun.v1i3.24 doi

Vicepresidencia de Investigación

ISSN: 2709-2275



Anatomy dental during the COVID-19

Anatomia dentária durante o COVID-19

Anatomía dental durante el COVID-19

Marisel Roxana Valenzuela Ramos ORCID Universidad Nacional de Piura. Perú. César Manuel Revilla Villanueva ORCID Universidad Nacional de Piura. Perú. Raphael Douglas Scipion Castro ORCID Universidad Nacional Federico Villarreal. Perú. Pedro Miguel Dias Monteiro ORCID Universidad de Sevilla.

ABSTRACT

The objective of this study was to evaluate the teaching-learning of dental anatomy e-learning during the Covid-19 pandemic. A cross-sectional investigation was carried out. The teachinglearning of the students of dental anatomy. To do this, a questionnaire was developed that consisted of four dimensions that were, the methodologies used in teaching-learning, evaluations, coexistence and, the virtual classroom space, each of the dimensions mentioned had 5 questions with a total of 20 questions. The evaluation of the teaching-learning of dental anatomy e-learning during the Covid-19 pandemic varied among the participants, when performing the analysis of the four dimensions, the majority of positive responses were in the evaluation dimension, followed by the methodologies dimension of teaching, coexistence in the virtual classroom and virtual classroom. Also, the frequencies of the responses were higher in the evaluations from good and very good, these frequencies being significant (Table 2, p-value <0.01). A statistically significant difference between men and women was found between positive and negative ratings (Table 3, p-value <0.01). The students had more positive than negative responses, the dimension that obtained the highest percentage of positive responses was the evaluation dimension. In general, students evaluate the teaching-learning evaluation of dental anatomy e-learning during the Covid-19 pandemic as very good, showing itself in all dimensions.

Palabras clave: dental, anatomy, e-learning, COVID-19.

RECIBIDO : 08-09-2020 ACEPTADO : 12-12-2020 DOI: <u>https://doi.org/10.47797/llamkasun.v1i3.24</u>







RESUMO

O objetivo deste estudo foi avaliar o ensino-aprendizagem de anatomia dentária e-learning durante a pandemia de Covid-19. Foi realizada uma investigação transversal. O ensinoaprendizagem dos alunos de anatomia dentária. Para isso, foi elaborado um questionário que consistia em quatro dimensões que foram, as metodologias utilizadas no ensino-aprendizagem, as avaliações, a convivência e, o espaço da sala de aula virtual, cada uma das dimensões mencionadas continha 5 questões com um total de 20 questões. A avaliação do ensinoaprendizagem de anatomia dentária e-learning durante a pandemia de Covid-19 variou entre os participantes, ao realizar a análise das quatro dimensões, a maioria das respostas positivas foram na dimensão avaliação, seguida da dimensão metodologias de ensino, convivência em sala de aula virtual e sala de aula virtual. Além disso, as frequências das respostas foram maiores nas avaliações de bom e muito bom, sendo essas frequências significativas (Tabela 2, p-valor <0,01). Uma diferença estatisticamente significativa entre homens e mulheres foi encontrada entre as avaliações positivas e negativas (Tabela 3, valor de p <0,01). Os alunos tiveram mais respostas positivas do que negativas, a dimensão que obteve o maior percentual de respostas positivas foi a dimensão avaliação. Em geral, os alunos avaliam a avaliação ensinoaprendizagem de e-learning de anatomia dentária durante a pandemia de Covid-19 como muito boa, apresentando-se em todas as dimensões.

Keywords: dentário, anatomia, e-learning, COVID-19.

RESUMEN

El objetivo de este estudio fue evaluar la enseñanza-aprendizaje del e-learning de anatomía dental durante la pandemia Covid-19. Se realizó una investigación transversal. La enseñanza-aprendizaje de los estudiantes de anatomía dental. Para ello, se elaboró un cuestionario que constaba de cuatro dimensiones que eran, las metodologías utilizadas en la enseñanza-aprendizaje, las evaluaciones, la convivencia y, el espacio del aula virtual, cada una de las dimensiones mencionadas contaba con 5 preguntas con un total de 20 preguntas. La evaluación del e-learning de enseñanza-aprendizaje de anatomía dental durante la pandemia Covid-19 varió entre los participantes, al realizar el análisis de las cuatro dimensiones, la mayoría de las







respuestas positivas estuvieron en la dimensión de evaluación, seguida de la dimensión de metodologías de docencia, convivencia en el aula virtual y el aula virtual. Asimismo, las frecuencias de las respuestas fueron mayores en las evaluaciones de bueno y muy bueno, siendo estas frecuencias significativas (Cuadro 2, valor p < 0.01). Se encontró una diferencia estadísticamente significativa entre hombres y mujeres entre las calificaciones positivas y negativas (Tabla 3, valor de p < 0.01). Los estudiantes tuvieron más respuestas positivas que negativas, la dimensión que obtuvo el mayor porcentaje de respuestas positivas fue la dimensión de evaluación. En general, los estudiantes valoran muy bien la evaluación de enseñanza-aprendizaje del e-learning de anatomía dental durante la pandemia Covid-19, mostrándose en todas las dimensiones.

Palavras-chave: odontología, anatomía, e-learning, COVID-19.

INTRODUCTION

When a country like Peru, as of August 27, 2020, occupies the first place with the most deaths in the world due to the Covid-19 pandemic, education at all levels is compromised and, returning to face-to-face classes is uncertain. Therefore, it is necessary to take urgent measures to mitigate its consequences, one of these measures would be to implement teachinglearning strategies in virtual environments. The global confinement as a result of the Covid-19 disease has caused multiple problems in society, both in the economic, social, cultural, health, and educational fields, among others. The education sector has not been the exception, schools and universities around the world have been

affected by failing to provide education to 1.570 million students in 191 countries (UNESCO, 2020), (OHCHR, 1999).

UNESCO (UNESCO, 2020) estimates that approximately 23.4 million higher education students and 1.4 million teachers in Latin America and the Caribbean have been affected by the suspension of face-toface classes, forcing educational institutions worldwide to take a leap unprecedented technology in human history, making teachers rethink their educational strategies and plans to the e-learning format to face a new reality, with the intention of ensuring pedagogical continuity by guaranteeing the right to education. Given this fact, international organizations urged countries to provide well-prepared, adaptable, and accessible educational environments for







both schools and universities (https://plus.google.com/+UNESCO, 2017; IFRC, 2020; OHCHR, 2020). Applying teaching-learning methods during the Covid-19 pandemic is a challenge when there is no experience. Knowing the classification of teaching-learning methods is important for the teacher to expand their knowledge, these are classified into active and passive (D'souza et al., 2020). Active teaching-learning methods are considered as participatory, with them you can achieve results that would not be achieved with passive methods that are characterized by unidirectional communication from the teacher to the students (Aspiazú et al., 2013). As in a face-to-face environment, teachers must gather series of а competencies to successfully develop the elearning environment. These competencies aimed are at teaching-learning management, specialty, digital, and ethics competence. The teaching-learning of courses that involve health sciences through e-learning education is already a reality, and dentistry is no exception. It is a challenge, clinical teaching-learning in e-learning universities modality, in such as Northampton or Oxford, in the United Kingdom virtual reality systems and simulators are being applied, in a threedimensional and interactive environment

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

(3D) allowing the students develop cognitive knowledge (Pottle, 2019). This fact does not escape the dental anatomy course, which is theoretical-practical in nature, whose competencies that must be acquired by students are the identification of the morphological and anatomical characteristics of permanent and milk teeth (Kato & Ohno, 2009). The reproduction of the morphology of the teeth is immersed within the practical component, this implies that dental students must develop cognitive knowledge, motor skills (manual dexterity) and, the artistic sense with the object of meet the demands of the dental profession (M. M. Bakr et al., 2017; Conte et al., 2020; Kellesarian, 2018). Complying with the course competencies in the e-learning modality is a challenge. Especially when it comes to dental carving since this involves the development of the student's manual dexterity (R. A. de Azevedo et al., 2018). For the development of this competence, traditionally 2D drawing practices and 3D wax carving have been used, using wax blocks (R. A. de Azevedo et al., 2018; Lone et al., 2018). At present, methods for the teaching-learning of psychomotor skills in dentistry are being incorporated, such as 3D images, digital atlases, animated computer graphics, three-dimensional models, real photos of human teeth, gamification, reality







virtual augmented and haptic (R. A. de Azevedo et al., 2018). In this sense, the objective of this research was to evaluate the teaching-learning of dental anatomy during the Covid-19 pandemic.

METHODOLOGY

A cross-sectional investigation was carried out in a

dental school in the dental anatomy course virtualized, use was made of was technological resources and teachinglearning methodologies. Among the technological resources, the virtual classroom was used, which contained educational material 3D such as applications, videos. forums. questionnaires, and the delivery of interactive classes through the Blackboard Collaborate platform where the classes were recorded. The methodologies used for teaching-learning were active methodologies such as gamification, flipped class, project-based learning, and design thinking.

To evaluate the teaching-learning of the students about the teaching of dental anatomy during the Covid-19 confinement, a questionnaire with four dimensions was elaborated, which were, the methodologies used in teaching-learning, evaluations,

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

coexistence, and the classroom space virtual, each of the dimensions mentioned had 5 questions with a total of 20 questions. The validation was carried out by judges with the purpose of evaluating the content, the reliability followed the approach of the analysis of internal consistency of the items, through the calculation of Cronbach's alpha coefficients where the four dimensions are highly correlated (p < 0.01), and the reliability is very good (Conbrach's $\alpha =$ 0.856). The questionnaire was created using Google Form, at the end of the classes the link was sent to the students through their email accounts in order for them to complete it anonymously. A total of 40 students out of 48 enrolled in the course answered the questionnaire in a period of three days. Since the design requires all questions to be answered, all electronic questionnaires were completed.

Statistic análisis

The application of statistical techniques such as the analysis of frequency distribution tables, the non-parametric Mann-Whitney U test, the Exploratory Factor Analysis, and classical Cronbach's alpha was applied.

The data processing was carried out through SPSS / Windows 25.0.







RESULTS

A total of 48 students enrolled in the course, but only 34 agreed to be part of the study, representing 71% of the total population, 29.4% were male and 70.6% were female. With questions the asked in the investigation, they were arranged in a series of categories (Quispe, 2013), in ordinal qualitative frequency tables they were contrasted by assigning two categories, one of them indicating the positive and negative modal (Blanco, s. f.); in which the majority of the participants had evaluated as positives greater than 73% (Table 1). Figure 1 shows the general proportions of positive and negative responses to each question of the four dimensions of the questionnaire.

The evaluation of the teaching-learning of dental anatomy e-learning during the Covid-19 pandemic varied among the participants, when performing the analysis of the four dimensions, the majority of positive responses were in the evaluation dimension, followed by the methodologies dimension of teaching, coexistence in the virtual classroom and virtual classroom. Besides, the frequencies of the responses were higher in the evaluations from good and very good, these frequencies being significant (Table 2, p-value <0.01). A statistically significant difference between

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

men and women was found between positive and negative ratings (Table 3, pvalue <0.01).

The e-learning dental anatomy evaluation form during the Covid-19 pandemic indicates adequate psychometric properties, in which its components are correlated given the scale used and these were very high (Spearman correlations p < 0.01).

The reliability indicator of the questionnaire was analyzed with Cronbach's alpha, which showed very good reliability (López, s. f.) where the reliability for the entire questionnaire was very good (Conbrach's a = 0.856); for men and women, the reliability indicator is 0.814 and 0.844 respectively (Table 4). To collect the indirect measures that were related to the concepts of interest in teaching-learning, these variables being latent. it was analyzed with the methodology in which it relates the observed variables with the factor analysis, finding groups of homogeneous questions of variables from the total of questions, which found an adequate fit to the construct explained by a factor "Virtual classroom with relevant characteristics" that allows its application in this context of virtual education. their assessments of the analytical verification methodology were optimal (Kaiser-Meyer Index- Olkin KMO







= 0.500, Barllet Chi-quare test of sphericity

X2 = 443.434, p <0.001 Table 4).

Table 1

Analysis of the four teaching-learning dimensions of e-learning dental anatomy during the *Covid-19 pandemic*.

Scale	Very bad No use Nothing				Excellent Very useful / Quite	Negative response 1 a 3	Positive responses 4 a 5
Ítems	1	2	3	4	5	1 4 5	4 4 5
Teaching Methoology							
For the learning of the course, the virtual classes were			3	9	22	3 (8.8%)	31 (91.2%)
For the learning of the course, the seminar developed by you was			1	8	25	1 (2.9%)	33 (97.1%)
For the learning of the course the works developed in class were			1	6	27	1 (2.9%)	33 (97.1%)
For the learning of the course the KAHOOT application was	3		4	12	15	7 (20.6%)	27 (79.4%)
To learn the course, the Bone Box - Dental Lite application used in the course was		1	1	7	25	2 (5.9%)	32 (94.1%)
Evaluations							
For learning the classes given by the teacher were			3	3	28	3 (8.8%)	31 (91.2%)
Assessments reflected what was learned in class				8	26	0 (0.0%)	34 (100.0%)
For your learning, the development of the forums were			3	9	22	3 (8.8%)	31 (91.2%)
For his learning the elaboration of the scientific article seemed to them			1	8	25	1 (2.9%)	33 (97.1%)
The teacher's way of evaluating seemed to them				6	28	0 (0.0%)	34 (100.0%)
Coexistence in the virtual classroom							
The preparation of group work with his colleagues seemed to them			6	7	21	6 (17.6%)	28 (82.4%)
The times established for the presentation of works seemed to them			2	6	26	2 (5.9%)	32 (94.1%)
The interaction with the teacher in the virtual classroom was				5	29	0 (0.0%)	34 (100.0%)
The interaction with their peers in the virtual classroom was			5	12	17	5 (14.7%)	29 (85.3%)
The interaction with the teacher of the course through applications such as WhatsApp, Facebook, Twitter, etc., seemed to them			2	4	28	2 (5.9%)	32 (94.1%)
Virtual classroom							
The interaction with his classmates through applications such as WhatsApp, Facebook, Twitter, etc., seemed to them		1	4	8	21	5 (14.7%)	29 (85.3%)
The organization of the virtual classroom seemed to them			3	13	18	3 (8.8%)	31 (91.2%)
His virtual classroom seemed attractive			3	11	20	3 (8.8%)	31 (91.2%)










The instructions in the virtual classroom were			1	6	27	1 (2.9%)	33 (97.1%)
The management of the virtual classroom seemed to them	5	2	2	4	21	9 (26.5%)	25 (73.5%)

Figure 1


Positive and negative responses by dimension

Response in % of Teaching Methodology




Negative Positive

Response in % Coexistence in the virtual classroom




Negative Positive

Response in % of Evalution Methodology



■ Negative ■ Positive

Response in % in the virtual classroom



■ Negative ■ Positive







Table 2

Analysis of the four teaching-learning dimensions of e-learning dental anatomy during the Covid-19 pandemic.

Scale	Very bad	bad	Neither bad no good	Good	Very good	Negative response	Positive response	Total
Factors	f %	f %	f %	f %	f %			f %
Teaching Methodology	3 (1.8%)	1 (0.6%)	10 (5.9%)	42 (24.7%)	114 (67.1%)	14 (8.2%)	156 (91.8%)	170 (100%)
Evaluations			7 (4.1%)	34 (20.0%)	129 (75.9%)	7 (4.1%)	163 (95.9%)	170 (100%)
Coexistence in the virtual classroom			15 (8.8%)	34 (20.0%)	121 (71.2%)	15 (8.8%)	155 (91.2%)	170 (100%)
Virtual classroom	5 (2.9%)	3 (1.8%)	13 (7.6%)	42 (24.7%)	107 (62.9%)	21 (12.4%)	149 (87.6%)	170 (100%

* (p < 0.05)

** (p < 0.05)

Table 3

Analysis of the four teaching-learning dimensions of e-learning dental anatomy during the Covid-19 pandemic.

Scale		Very bad No use Nothing				Excellent Very useful / Quite	Negative – response	Positive response
Factors		1	2	3	4	5		
Teaching Methodology	Man			1	12	37	1	49
	Woman	3	1	9	30	77	13	107
Evaluations	Man				11	39	0	50
	Woman			7	23	90	7	113
Coexistence in the virtual classroom	Man			4	4	42	4	46
	Woman			11	30	79	11	109
	Man	1		1	7	41	2	48
Virtual classroom	Woman	4	3	12	35	66	19	101

Statistical difference of man and woman U Mann-Whitney responses p - value = 0.000 **

** (p < 0.01)







Table 4

Factorial loads of the items

Virtual classroom with relevant characteristics					
D4- You found your virtual classroom attractive 0.84					
D4- The instructions in the virtual classroom were 0.8					
D4- The organization of the virtual classroom seemed	0.787**				
D1- For the learning of the course, the virtual classes were 0.682					
D1- For the learning of the course, the seminar developed by you was 0.66					
KMO statistics = 0.500; Chi square X2 = 443.434, p < 0.001 Reliability index: Cronbach's α = 0.856; α Men = 0.814 α Women = 0.844 Descriptive Factors or dimensions:					
Teaching methodology (M = 4.55, DE = 0.46), Evaluations (M = 4.72, DE = 0.37), Coexistence in the virtual classroom (M = 4.62, SD = 0.41), Virtual classroom (M = 4.43) Spearman correlation between pairs of Factors p <0.01 **	, SD = 0.60),				
** (p < 0.01)					

DISCUSSION

The adaptation of e-learning education has been carried out in recent years, but it has become more important as a result of the Covid-19 pandemic. Educational institutions in the areas of health have not been the exception, many medical schools have substituted face-to-face education by telemedicine formats (Ahmed et al., 2020; Goh & Sandars, 2020), which cannot be extrapolated to dental education due to the high proportion of dental clinical education (Quinn et al., 2020). In this context, the objective of this research was to evaluate the e-learning dental anatomy during the Covid-19 pandemic. As a result, there is a constant concern regarding the acquisition of clinical competence in virtual environments. Given this fact, practical solutions have been found, such as clinical reasoning, case reports, and self-reflection activities (Iyer et al., 2020; Quinn et al., 2020; D. T. Wu et al., 2020; K. Y. Wu et al., 2020). During confinement, dental students received virtual classes, under the concept of being considered the "millennial generation", there are studies that show their familiarity with online learning (Miller & Metz, 2015), achieving that virtual environments have a good acceptance coinciding with the data reported by Inquimber (Inquimbert et al., 2019). Over time, new methods have been developed for teaching dental anatomy such as 3D images (Magne, 2015), online learning that includes educational videos, interactive systems, systems that monitor the ability of







students, among others, demonstrating its importance in motivating and teaching dental students (Zitzmann et al., 2020). In this sense, the objective of this research was to evaluate e-learning dental anatomy during the Covid-19 pandemic. Thus, Inquimber (Inquimbert et al., 2019) and Dhulipalla (Dhulipalla et al., 2015) highlight that the pedagogical support most requested by the students was video and more so when they are treated in 3D, demonstrating better visual understanding. Miller (Miller & Metz, 2015) and Kavadella (Kavadella et al., 2012) affirm that videos can improve students' ability to apply the knowledge acquired in the basic sciences to new clinical situations by promoting the integration between the basic sciences with the clinical disciplines, a trend that has been practiced for the last 15 years (Landes et al., 2014; Rafai et al., 2016; Scheven, 2012). In the School of Dental, the dental anatomy classes were e-learning, however, it remained with the commitment to reinforce the dental carving classes since it cannot be substituted (R. de A. de Azevedo et al., 2015). An alternative that is presented Faced with this problem, haptic simulators such as MOOG SimodontVR Virtual Dental Trainer (Inc, s. f.) studies carried out on haptic simulators suggest that they can be used as a complement in clinical practice

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

but not replace conventional practice (Murbay et al., 2020; Zafar et al., 2020). There is no clear evidence that haptic simulators improve the development of psychomotor skills in dentistry (M. Bakr et al., 2014). Hence the importance of wax carving of natural teeth for the development of psychomotor ability (R. A. de Azevedo et al., 2018). One of the methodologies used in the virtual classroom was the flipped classroom with the aim of increasing student participation and support learning, as corroborated by studies carried out by 38 another of the points evaluated in the questionnaire was the interaction of the students with the teacher, the satisfaction of the students about this point is probably due to the use of the flipped classroom, these results were also reported by Wang (Wang & Liu, 2019) (Quoß et al., 2017). Gamification methods were used in the present study, they adapt the mechanics of games to educational environments to improve the teaching-learning process (Fuster-Guilló et al., 2019). The application used to apply gamification in the present study was Kahoot, which had a good calcification by the students of the Dental Anatomy course. When reviewing the literature about the learning experience based on the Kahoot Fuster (Fuster-Guilló et al., 2019), it reports that studies on the







improvement of student performance derived from the use of gamification and serious games in courses with different contexts are not conclusive. On the other hand, Castro (Castro et al., 2019; Ismail et al., 2019) reports that Kahoot favors competitiveness and motivates students to actively participate in their learning process.

CONCLUSIONS

The students had more positive than negative responses, the dimension that obtained the highest percentage of positive responses was the evaluation dimension. In general, students evaluate the teachinglearning evaluation of dental anatomy elearning during the Covid-19 pandemic as very good, showing itself in all dimensions.

BIBLIOGRAPHIC REFERENCES

- Ahmed, H., Allaf, M., & Elghazaly, H. (2020). COVID-19 and medical education. The Lancet Infectious Diseases, 20(7), 777-778. https://doi.org/10.1016/S1473-3099(20)30226-7
- Aspiazú, M. B., Torres, R. V., Collar, T. R.,& Aspiazú, O. B. (2013). Active methods application in the learning of

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

clinical skills. Revista Habanera de Ciencias Medicas, 13(1), 144-151. Scopus.

- https://www.scopus.com/record/displ ay.uri?eid=2-s2.0-
- 85016181815&origin=resultslist&so rt=plf-f&src=s&st1=+teachinglearning+methods&nlo=&nlr=&nls= &sid=2606e58b4db998dd251ee5b5d 2767c5b&sot=b&sdt=sisr&sl=41&s =TITLE-ABS-KEY%28+teachinglearning+methods%29&ref=%28%2 8metodo+activo+de+aprendizaje%29 %29+AND+%28active+learning+me thod%29&relpos=1&citeCnt=2&sear chTerm=
- Bakr, M. M., Thompson, C. M., & Massadiq, M. (2017). Anatomical sciences: A foundation for a solid learning experience in dental technology and dental prosthetics. Anatomical Sciences Education, 10(4), 395-404. https://doi.org/10.1002/ase.1650
- Bakr, M., Massey, W., & Alexander, H. (2014). Students' evaluation of a 3DVR haptic device (Simodont®).
 Does early exposure to haptic feedback during preclinical dental education enhance the development of psychomotor skills? International Journal of Dental Clinics, 6(2), 1-7.







https://research-

repository.griffith.edu.au/handle/100 72/66407

- Blanco, C. (s. f.). Encuesta y estadistica. Métodos de investigación cuantitativa en Ciencias Sociales y comunicación. Brujas. Recuperado 3 de septiembre de 2020, de http://www.digitaliapublishing.com/a /41837/encuesta-y-estadistica.metodos-de-investigacioncuantitativa-en-ciencias-sociales-ycomunicacion
- Castro, M.-J., López, M., Cao, M.-J., Fernández-Castro, M., García, S., Frutos, M., & Jiménez, J.-M. (2019). Impact of educational games on academic outcomes of students in the Degree in Nursing. PloS One, 14(7), e0220388.

https://doi.org/10.1371/journal.pone. 0220388

Conte, D. B., Zancanaro, M., Guollo, A.,
Schneider, L. R., Lund, R. G., &
Rodrigues-Junior, S. A. (2020).
Educational Interventions to Improve
Dental Anatomy Carving Ability of
Dental Students: A Systematic
Review. Anatomical Sciences
Education.

https://doi.org/10.1002/ase.2004

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

- de Azevedo, R. A., Correa, M. B., Torriani, M. A., & Lund, R. G. (2018). Optimizing quality of dental carving by preclinical dental students through anatomy theory reinforcement. Anatomical Sciences Education, 11(4), 377-384. https://doi.org/10.1002/ase.1752
- de Azevedo, R. de A., da Rosa, W. L. de O.,
 da Silva, A. F., Correa, M. B.,
 Torriani, M. A., & Lund, R. G.
 (2015). Comparative Effectiveness of
 Dental Anatomy Carving Pedagogy:
 A Systematic Review. Journal of
 Dental Education, 79(8), 914-921.
- Dhulipalla, R., Marella, Y., Katuri, K. K., Nagamani, P., Talada, K., & Kakarlapudi, A. (2015). Effect of 3D animation videos over 2D video projections in periodontal health education among dental students. Journal of International Society of Preventive & Community Dentistry, 5(6), 499-505. https://doi.org/10.4103/2231-0762.170526
- D'souza, U. J. A., Kadir, F. B. M., Chodankar, N., Hayati, F., & Jeffree, M. S. B. (2020). Response to 'learner perception regarding the lecture and the small group discussion as teaching/ learning methods in







physiology'. Bangladesh Journal of Medical Science, 19(1), 174-175. Scopus.

https://doi.org/10.3329/bjms.v19i1.4 3893

- Fuster-Guilló, A., Pertegal-Felices, M. L., Jimeno-Morenilla, A., Azorín-López, J., Rico-Soliveres, M. L., & Restrepo-Calle, F. (2019). Evaluating Impact on Motivation and Academic Performance of a Game-Based Learning Experience Using Kahoot. Frontiers in Psychology, 10, 2843. https://doi.org/10.3389/fpsyg.2019.0 2843
- Goh, P.-S., & Sandars, J. (2020). A vision of the use of technology in medical education after the COVID-19 pandemic. MedEdPublish, 9. https://doi.org/10.15694/mep.2020.0 00049.1
- https://plus.google.com/+UNESCO. (2017, marzo 27). Right to Education—State obligations and responsibilities. UNESCO.

https://en.unesco.org/themes/right-toeducation/state-obligations

IFRC. (2020). Key Messages and Actions for COVID-19 Prevention and Control in Schools. https://www.who.int/docs/defaultsource/coronaviruse/key-messages-

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

and-actions-for-covid-19-preventionand-control-in-schools-march-2020.pdf?sfvrsn=baf81d52_4

- Inc, M. (s. f.). Haptic Technology in the Moog Simodont Dental Trainer. Recuperado 23 de agosto de 2020, de https://www.moog.com/markets/med ical-dental-simulation/haptictechnology-in-the-moog-simodontdental-trainer.html
- Inquimbert, C., Tramini, P., Romieu, O., & Giraudeau, N. (2019). Pedagogical Evaluation of Digital Technology to Enhance Dental Student Learning. European Journal of Dentistry, 13(1), 53-57. https://doi.org/10.1055/s-0039-1688526
- Ismail, M. A.-A., Ahmad, A., Mohammad, J. A.-M., Fakri, N. M. R. M., Nor, M. Z. M., & Pa, M. N. M. (2019). Using Kahoot! as a formative assessment tool in medical education: А phenomenological study. BMC Medical Education, 19(1), 230. https://doi.org/10.1186/s12909-019-1658-z
- Iyer, P., Aziz, K., & Ojcius, D. M. (2020). Impact of COVID-19 on dental education in the United States. Journal of Dental Education, 84(6), 718-722.

https://doi.org/10.1002/jdd.12163







- Kato, A., & Ohno, N. (2009). Construction of three-dimensional tooth model by micro-computed tomography and application for data sharing. Clinical Oral Investigations, 13(1), 43-46. https://doi.org/10.1007/s00784-008-0198-4
- Kavadella, A., Tsiklakis, K., Vougiouklakis, G., & Lionarakis, A. (2012). Evaluation of a blended learning course for teaching oral radiology to undergraduate dental students. European Journal of Dental Education: Official Journal of the Association for Dental Education in e88-95. Europe, 16(1), https://doi.org/10.1111/j.1600-0579.2011.00680.x
- Kellesarian, S. V. (2018). Flipping the Dental Anatomy Classroom. Dentistry Journal, 6(3). https://doi.org/10.3390/dj6030023
- Landes, C. A., Hoefer, S., Schuebel, F., Ballon, A., Teiler, A., Tran, A., Weber, R., Walcher, F., & Sader, R. (2014). Long-term prospective teaching effectivity of practical skills training and a first OSCE in cranio maxillofacial surgery for dental students. Journal of Cranio-Maxillo-Facial Surgery: Official Publication of the European Association for

Cranio-Maxillo-Facial Surgery, 42(5), e97-104. https://doi.org/10.1016/j.jcms.2013.0 7.004

- Lone, M., McKenna, J. P., Cryan, J. F., Downer, E. J., & Toulouse, A. (2018). A Survey of tooth morphology teaching methods employed in the Kingdom Ireland. United and European Journal of Dental Education: Official Journal of the Association for Dental Education in 22(3), e438-e443. Europe, https://doi.org/10.1111/eje.12322
- López, W. (s. f.). Estadística práctica: Aplicación y análisis para la toma de decisiones en las empresas (Segunda). Edición Kindle.
- Magne, P. (2015). A new approach to the learning of dental morphology, function, and esthetics: The «2D-3D-4D» concept. The International Journal of Esthetic Dentistry, 10(1), 32-47.
- Miller, C. J., & Metz, M. J. (2015). Can Clinical Scenario Videos Improve Dental Students' Perceptions of the Basic Sciences and Ability to Apply Content Knowledge? Journal of Dental Education, 79(12), 1452-1460.
- Murbay, S., Neelakantan, P., Chang, J. W. W., & Yeung, S. (2020). «Evaluation







of the introduction of a dental virtual simulator on the performance of undergraduate dental students in the pre-clinical operative dentistry course». European Journal of Dental Education: Official Journal of the Association for Dental Education in Europe, 24(1), 5-16. https://doi.org/10.1111/eje.12453

- OHCHR. (1999). OHCHR | International Covenant on Economic, Social and Cultural Rights. https://www.ohchr.org/en/profession alinterest/pages/cescr.aspx
- OHCHR. (2020). COVID-19 Guidance. https://www.ohchr.org/EN/NewsEve nts/Pages/COVID19Guidance.aspx
- Pottle, J. (2019). Virtual reality and the transformation of medical education. Future Healthc J, 6(3), 181-185. https://doi.org/10.7861/fhj.2019-0036
- Quinn, B., Field, J., Gorter, R., Akota, I., Manzanares, M.-C., Paganelli, C., Davies, J., Dixon, J., Gabor, G., Amaral Mendes, R., Hahn, P., Vital, S., O'Brien, J., Murphy, D., & Tubert-Jeannin, S. (2020). COVID-19: The immediate response of european academic dental institutions and future implications for dental education. European Journal of

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

Dental Education: Official Journal of the Association for Dental Education in Europe. https://doi.org/10.1111/eje.12542

- Quispe, A. (2013). El uso de la encuesta en las ciencias sociales. (1.a ed.). Dias Santos.
- Quoß, M., Rüttermann, S., & Gerhardt-Szep, S. (2017). Cross-year peerassisted learning using the inverted («flipped») classroom design: A pilot study in dentistry. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 126, 84-93. https://doi.org/10.1016/j.zefq.2017.0 7.007
- Rafai, N., Lemos, M., Kennes, L. N., Hawari, A., Gerhardt-Szép, S., & Classen-Linke, I. (2016). Anatomy meets dentistry! Linking anatomy and clinical practice in the preclinical dental curriculum. BMC Medical Education, 16(1), 305. https://doi.org/10.1186/s12909-016-0825-8
- Scheven, B. a. A. (2012). Perceived relevance of oral biology by dental students. European Journal of Dental Education: Official Journal of the Association for Dental Education in Europe, 16(1), e64-72.







https://doi.org/10.1111/j.1600-0579.2011.00677.x

UNESCO. (2020). COVID-19 y educación superior: De los efectos inmediatos al día después. Análisis de impactos, respuestas políticas y recomendaciones. http://www.iesalc.unesco.org/wp-

content/uploads/2020/05/COVID-19-ES-130520.pdf

- Wang, R., & Liu, C. (2019). The relation of dental students' learning styles to their satisfaction with traditional and inverted classroom models. BMC Medical Education, 19(1), 315. https://doi.org/10.1186/s12909-019-1749-x
- Wu, D. T., Wu, K. Y., Nguyen, T. T., & Tran, S. D. (2020). The impact of COVID-19 on dental education in North America—Where do we go next? European Journal of Dental Education. https://doi.org/10.1111/eje.12561
- Wu, K. Y., Wu, D. T., Nguyen, T. T., & Tran, S. D. (2020). COVID-19's impact on private practice and academic dentistry in North America. Oral Diseases. https://doi.org/10.1111/odi.13444
- Zafar, S., Lai, Y., Sexton, C., & Siddiqi, A. (2020). Virtual Reality as a novel

Artículo científico Volumen 1, Número 3, julio – diciembre, 2020 Recibido: 08-09-2020, Aceptado: 12-12-2020

educational tool in pre-clinical paediatric dentistry training: Students' perceptions. International Journal of Paediatric Dentistry. https://doi.org/10.1111/ipd.12648

Zitzmann, N. U., Matthisson, L., Ohla, H., & Joda. T. (2020).Digital Undergraduate Education in Dentistry: A Systematic Review. International Journal of Environmental Research and Public Health, 17(9). https://doi.org/10.3390/ijerph170932 69

Contacto

Dra. Marisel Roxana Valenzuela Ramos mvalenzuelar@unp.edu.pe



