

## THE STRENGTH OF THE EPITYPE. A BRIEF NOTE ON *GAGEA GRANATELLII* (PARL.) PARL. AND *G. MAURITANICA* DURIEU (*LILIACEAE*)

P. Pablo FERRER GALLEGO

Servicio de Vida Silvestre y Red Natura 2000. Centro para la Investigación y la Experimentación Forestal de la Generalitat Valenciana (CIEF). Generalitat Valenciana. Avda. Comarques del País Valencià, 114. 46930-Quart de Poblet, Valencia. flora.cief@gva.es

**ABSTRACT:** The lectotype of *Gagea granatellii* (Parl.) Parl. has been identified as the species to which the name *Gagea mauritanica* Durieu is generally applied. Thus, both names has been treated as conspecific in *Flora iberica*. However, an epitype was designated for *Gagea granatellii*, which breaks the conspecificity and allows the use of both names for different taxa. **Keywords:** nomenclature; *Shenzhen Code*; synonymy; typification.

**RESUMEN:** La fuerza del epitipo. Breve nota sobre *Gagea granatellii* (Parl.) Parl. y *G. mauritanica* Durieu (*Liliaceae*). El lectotipo de *Gagea granatellii* (Parl.) Parl. ha sido identificado como perteneciente a la especie a la que generalmente se aplica el nombre *Gagea mauritanica* Durieu. Así, ambos nombres han sido tratados como conespecíficos en *Flora iberica*. Sin embargo, se designó un epitipo para *Gagea granatellii*, lo que rompe la conespecificidad y permite el uso de ambos nombres para diferentes táxones. **Palabras clave:** nomenclatura; *Código de Shenzhen*; sinónimo; tipificación.

### INTRODUCTION AND DISCUSSION

We recently analyzed the complex typification of *Gagea lacaitae* A. Terracc. (*Liliaceae*) (FERRER, 2023). In this work we were able to study and analyze the nomenclatural types of the names of some of the species related to this taxonomic complex.

*Ornithogalum granatellii* Parl. (PARLATORE, 1839: 85, fig. s.n.), currently accepted as *Gagea granatellii* (Parl.) Parl., is a species, or a species complex (incl. *G. lacaitae* and *G. chabertii* A. Terracc.) distributed in the western Mediterranean area (incl. Sicily and Sardinia, and North Africa) (TISON, 1998, 2004, 2009; PERUZZI & al., 2011; PAVON & TISON, 2021; FERRER, 2023). It is a bulbous perennial plant, well-characterized by bearing very thick ageotropic roots, broad ribbon-like, bulb densely surrounded by recurved fibrous roots, thick basal leaves with duplicated central vascular bundles, cauline leaves with underground basis; incomplete ontogenic sequence including a very short (0–2 years) adult stage with an usually irregular, bulbiferous (immature plants with a cluster of suprabasal bulbils), immature-like inflorescence, plant flowering sporadically or not-flowering (PERUZZI & TISON, 2007; TISON & al., 2013).

A lectotype for the name *Gagea granatellii* was designated by PERUZZI & TISON (2007: 185, fig. 8), from an illustration published by Parlatores “*Ornithogalum Granatelli*, inchoavit G. Ghilardi” (PARLATORE, 1839). These authors mentioned that they were forced to select this drawing as the lectotype since none of the consulted herbaria (including FI) preserves any specimen that can be interpreted as original material.

In addition, these authors also selected an epitype for *G. granatellii* in order to avoid ambiguities in the application of the name “since this drawing is of average quality and does not show all the diagnostic features of the species” (PERUZZI & TISON, 2007: 185). The selected

epitype is a complete specimen collected by Parlatores in 1840 in Sicily, and preserved at G, an image of this specimen was reproduced by PERUZZI & TISON (2007: fig. 9).

According to LÓPEZ GONZÁLEZ (2013), the lectotype and epitype of *G. granatellii* are taxonomically distinct and currently belong to different species. Although the epitype certainly matches the current concept and use of the name *G. granatellii*, the lectotype could be identified, according to López González, as belonging to the traditional concept and current use of the name *G. mauritanica* Durieu. This identification seems to be fully confirmed by Parlatores’s own description of his species (pea-sized bulb, almost hidden by very thick sclerified fibers, stem about 5 cm, opposite floral leaves, tepals about 2 mm wide, and basal leaves 1(1.5) mm wide) and Parlatores’s assertion that *G. mauritanica* is a synonym of his *G. granatellii* “Alla mia specie deve riferirsi come sinonimo la *Gagea mauritanica* di Durieu, dal quale mi sono state favorite anche le piante secche” [To my species must refer as a synonym Durieu’s *Gagea mauritanica*, from which I also favored dry plants] (PARLATORE, 1857: 428-429).

In the case of the lectotype of *G. granatellii*, the drawing “*Ornithogalum Granatelli*, inchoavit G. Ghilardi” (PARLATORE, 1839) illustrates a bulb not densely surrounded by fibrous roots; a very relevant diagnostic feature to differentiate this species, e.g., vs. *G. mauritanica*, with bulb with ascending fibers but without densely surrounded fibers. However, the traditional concept and current use of the name *G. granatellii* is applied to a species with bulb densely surrounded by fibrous recurved roots (see RICHARDSON, 1980; MOLINA & al., 1998; TISON, 1998, 2009; PERUZZI & TISON, 2007; LÓPEZ GONZÁLEZ, 2013; PIGNATTI, 2018).

In this situation, if the lectotype and epitype of *G. granatellii* are taxonomically distinct, as indicated by LÓPEZ GONZÁLEZ (2013), the name *Gagea granatellii* has long been unambiguously applied to a species in a

sense that does not include its currently designated lectotype. In this sense, noting that the type of the name could be a specimen identifiable with *G. mauritanica*, conservation the current concept of the name *Gagea granatellii* to preserve the use of this name and nomenclatural stability “could be desirable”. However, an epitype of *Gagea granatellii* was designated by PERUZZI & TISON (2007), and the designated epitype creates a new scenario.

According to LÓPEZ GONZÁLEZ (2013), an option could be a proposal to conserve the previous use of the name or, alternatively, a proposal to reject the name *Gagea granatellii* under Art. 56 of the *Shenzhen Code* (TURLAND & al., 2018). López González considers at the same time that, since the lectotype is very different from the proposed epitype, the epitype must be rejected. Therefore, in the *Flora iberica*, the name *G. granatellii* is treated as a heterotypic synonym of *G. mauritanica*.

However, even if the lectotype and epitype of *G. granatellii* were taxonomically distinct (LÓPEZ GONZÁLEZ, 2013), or not (Tison and Peruzzi, pers. comm.) i.e., the epitype is conspecific with the type it supports; this epitype cannot be replaced (see MOSYAKIN & McNEILL, 2018; LENDEMÉR, 2020). Once an epitype is designated, it can only be displaced by conservation, or if it is shown that the type it supports is not the type of the name (Art. 9.20 & Note 8) (TURLAND & al., 2018). The epitype of *G. granatellii*, preserved at G herbarium, replace and not supplement the “icono”-lectotype, with new and better information content.

In the *Shenzhen Code* (TURLAND & al., 2018), two important provisions are relevant to the analysis of this case. In Art. 9.9, it is indicated that “An epitype is a specimen or illustration selected to serve as an interpretative type ...”, and in Art. 9.20 “The author who first designates (Art. 7.10, 7.11, and F.5.4) an epitype must be followed”. At this point it is pertinent to comment that only if the type that supports an epitype is displaced (lost, destroyed, or supersedable under Art. 9.19), an epitype ceases to be the element that determines the application of the name.

Thus, once an epitype has been designated in accordance with the provisions of the *Code*, the identity of the type it supports (in this case the lectotype) is totally irrelevant for the purpose of application of the name. But mistakes can be made and the final sentence of Art. 9.20 sets out how such a mistake can be rectified. By invoking the procedures of Art. 14 it states that this can be done to avoid an unfavorable nomenclatural change. Therefore, since the current type (the epitype) is the species to which the name *Gagea granatellii* is currently applied, there is no justification for applying Art. 14.9.

Finally, although the type being supported by an epitype must be “demonstrably ambiguous and cannot be critically identified for purposes of the precise application of the name to a taxon” (*ICN* Art. 9.9), even if there is evidence that this is demonstrable, which is hardly the case here, the *Code* does not provide that the

designated epitype does not still determine the application of the name.

In conclusion, although the lectotype of *G. granatellii* has been identified as *G. mauritanica*, and therefore both names could have been treated as conspecific, the epitype designated for *G. granatellii* breaks the conspecificity and allows the use of both names for different taxa.

## REFERENCES

- FERRER GALLEGÓ, P.P. (2023). Typification of *Gagea lacaitae* (*Liliaceae*) revisited. *Phytotaxa* 618(2): 181–187.
- LENDEMÉR, J.C. (2020). Epitypes are forever: Best practices for an increasingly misused nomenclatural action. *Taxon* 69(5): 849–850.
- LÓPEZ GONZÁLEZ, G. (2013). *Gagea* Salisb. In Castroviejo et al. (coord), *Flora iberica*, 20, pp. 22–74. Madrid: Real Jardín Botánico, CSIC.
- MOLINA, J., H. MICHAUD, J.P. ROUX & J.-M. TISON (1998). *Gagea mauritanica* Durieu (*Liliaceae*), espèce nouvelle pour la flore française. *Bull. Mens. Soc. Linn. Lyon* 67: 77–78.
- MOSYAKIN, S.L. & J. McNEILL (2018). On the nomenclature of *Chenopodium pallidum* and *Atriplex schugnanica* (*Chenopodiaceae*/*Amaranthaceae* sensu APG) and the perils of epitypification. *Phytotaxa* 376(3): 133–137.
- PARLATORE, F. (1839). Nova Ornithogali species ex naturali Liliacearum familia. *L'occhio* 2(11): 85–86.
- PARLATORE, F. (1857). *Flora Italiana*, vol. 2. Firenze.
- PAVON, D. & J.-M. TISON (2021). *Gagea granatellii* (Parl.) Parl. (*Liliaceae*) dans les Bouches-du-Rhône. *Bulletin de la Société linnéenne de Provence* 72: 89–94.
- PERUZZI, L., G. GESTRI & B. PIERINI (2011). Distribution of the genus *Gagea* (*Liliaceae*) in Sardinia. *Fl. Medit.* 21: 261–272.
- PERUZZI, L. & J.-M. TISON (2007). Typification of six critical Mediterranean *Gagea* Salisb. (*Liliaceae*) taxa. *Candollea* 62 (2): 173–188.
- PIGNATTI, S. (2018). *Flora d'Italia*, ed. 2, vol. 3. Milano: Edagricole.
- RICHARDSON I.B.K. (1980). *Gagea* Salisb. In: T.G. Tutin & al. (coord.), *Flora Europaea*, 5, pp. 26–28. Cambridge: University Press.
- TISON, J.-M. (1998). *Gagea granatellii* en France. *Monde des plantes* 462: 1–6.
- TISON, J.-M. (2004). Contribution à la connaissance du genre *Gagea* Salisb. (*Liliaceae*) en Afrique du Nord. *Lagascalia* 24: 67–87.
- TISON J.-M. (2009). An update of the genus *Gagea* Salisb. (*Liliaceae*) in the Iberian Peninsula. *Lagascalia* 29: 7–2.
- TISON J.-M., A. PETERSON, D. HARPKE & L. PERUZZI (2013). Reticulate evolution of the critical Mediterranean *Gagea* sect. *Didymobulbos* (*Liliaceae*) and its taxonomic implications. *Pl. Syst. Evol.* 299: 413–438.
- TURLAND, N.J. & al. (eds.) (2018). *International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code) adopted by the Nineteenth International Botanical Congress Shenzhen, China, July 2017*. [Regn. Vegetab. 159]. Koeltz Botanical Books, Glashütten. <https://doi.org/10.12705/Code.2018>.

(Recibido el 26-II-2024)  
(Aceptado el 20-III-2024)

NOVEDADES EDITORIALES

Flora Valentina, V (*Rosaceae - Zygophyllaceae*) 

Gonzalo Mateo Sanz, Manuel B. Crespo Villalba, Emilio Laguna Lumbreras



Encuadernación tapa dura cosida, 22 x 27 cm, 260 páginas en **COLOR**

Fecha estimada de lanzamiento: **enero de 2024**

Ed. Jolube

ISBN: 978-84-126656-1-1

PVP: 50€ + envío



Guía de campo de las ciperáceas de España y Portugal 

Modesto Luceño Garcés y colaboradores

*Monografías de Botánica Ibérica*, n° 27

Encuadernación tapa dura 16,5x 24 cm 598 páginas en **color**

Ed. Jolube

Fecha de lanzamiento: **agosto de 2023**

ISBN: 978-84-126656-0-4

PVP: 60€ + envío

Versión en inglés disponible: **Field guide of Spanish and Portuguese sedges (*Cyperaceae*)**

Atlas de semillas de Aragón 

Jorge Pueyo Bielsa, Alicia Cirujeda Ranzenberger y Gabriel Pardo


Edita: CITA-Gobierno de Aragón

Encuadernación rústica 24 x 20 cm. 117 pp en **color**.

Fecha lanzamiento: marzo de 2023

ISBN: 978-84-87944-60-4

PVP: 15€ + envío



Nueva revisión sintética de los géneros *Hieracium* y *Pilosella* en España 

Gonzalo Mateo Sanz, Fermín del Egido Mazuelas & Francisco Gómiz García

*Monografías de Botánica Ibérica*, n° 25

Encuadernación rústica, 17 x 24 cm, 336 páginas en **color**

Ed. Jolube

Fecha lanzamiento: **marzo de 2022**

ISBN: 978-84-124463-8-8

PVP: 26,95€ + envío

Guía imprescindible de las flores de la Depresión del Ebro, 2ª edición corregida y aumentada 

Javier Puente Cabeza

Col. *Guías imprescindibles de flora*, nº 5



Encuadernación rústica 16 × 21,6 cm. 390 páginas en **COLOR**

Ed. Jolube, 2024

Fecha lanzamiento: **enero de 2024**

ISBN: 978-84-947985-3-5

PVP: 24,95€ + envío



Las relaciones entre Francisco Loscos y José Pardo a través de su correspondencia 

José María de Jaime Lorén

Encuadernación rústica 17× 24 cm, 202 páginas en B/N

Ed. Jolube

Fecha de lanzamiento: **abril de 2024**

ISBN: 978-84-126656-9-7

PVP: 12,50€ + envío

Mis exploraciones botánicas en el Magreb. Retazos de un diario 

Francisco Gómiz García


Edita: Jolube, 2024


Encuadernación rústica 17× 24 cm, 204 páginas en B/N

Fecha lanzamiento: **abril de 2024**

ISBN: 978-84-127863-0-9

PVP: 12,50€ + envío





## Plantas tóxicas para rumiantes

H. Quintas, C. Aguiar, L. M. Ferrer, J.J. Ramos & D. Lacasta

Encuadernación rústica 19 × 24 cm

216 páginas en **COLOR**

Edita: Publicações Ciência e Vida e Instituto Agroalimentario de Aragón

Fecha lanzamiento: **diciembre de 2022**

ISBN: 972-590-103-8

PVP: 22,50€ + envío

## Estudio comparativo de las dos versiones del Itinerario Botánico (1812-1813) de Xavier de Arizaga

Juan Antonio Alejandro Sáenz

*Monografías de Botánica Ibérica*, n° 29



Encuadernación cosida A4. 237 pp.

Ed. Jolube

Fecha lanzamiento: octubre de 2023

ISBN: 978-84-126656-8-0

PVP: 19,95€ + envío



## Malas hierbas en plántula. Guía de identificación. 2ª ed. revisada y ampliada

Jordi Recasens & Josep Antoni Conesa

Encuadernación rústica, 17,5 x 24,7 cm, 454 páginas en **COLOR**

Ed. Universitat de Lleida

Fecha lanzamiento: 2021

ISBN: 978-84-914432-4-7

PVP: 40€ + envío

## Catálogo de flora de la cuenca endorreica de la laguna de Gallocanta

Eulàlia Picornell Segura

*Monografías de Botánica Ibérica*, n° 24

Encuadernación rústica 14,8 × 21 cm

244 páginas en color

Ed. Jolube

Fecha lanzamiento: **octubre de 2022**

ISBN: 978-84-124463-6-4

PVP: 12,50€ + envío

