

The Arthropoda fauna of Corvo island (Azores): new records and updated list of species

VIRGÍLIO VIEIRA*, PAULO A. V. BORGES**, OLE KARSHOLT*** &
JÖRG WUNDERLICH****

*Universidade dos Açores, Departamento de Biologia, CIRN,
Rua da Mãe de Deus, PT - 9501-801 Ponta Delgada, Açores, Portugal
vvieira@notes.uac.pt

**Universidade dos Açores, Dep. de Ciências Agrárias,
Terra-Chã, 9701 – 851 Angra do Heroísmo, Açores, Portugal
pborges@angra.uac.pt

***Zoological Museum, University of Copenhagen,
Universitetsparken 15, DK-2100 Copenhagen, Denmark
okarsholt@zmuc.ku.dk

****Jörg Wunderlich, Hindenburgstr.
94, D-75334 Straubenhardt, Germany
joergwunderlich@t-online.de

VIEIRA, V., P.A.V. BORGES, O. KARSHOLT & J. WUNDERLICH (2003). La fauna de artrópodos de la isla de Corvo (Azores): lista actualizada de las especies incluyendo nuevos registros. *VIERAEA* 31: 145-156.

RESUMEN: Se exponen los resultados de artrópodos (phylum Arthropoda) colectados y observados en la isla de Corvo, archipiélago de las Azores, durante los días 26.VII.1999 y 11-13.IX.2002. Con la inclusión de la literatura disponible, se citan 175 especies y subespecies (11.43% son endemismos comunes a las otras islas de las Azores), repartidas per 16 órdenes y 83 familias, de las que 32 son nuevas citas para la isla de Corvo. *Phaneroptera nana* Fieber (Orthoptera: Tettigonidae) se cita por primera vez para las Azores.
Palabras clave: Arthropoda, isla de Corvo, Azores.

ABSTRACT: The arthropod fauna (phylum Arthropoda) from the island of Corvo, Azores archipelago, was surveyed during four sampling days (26 July 1999; 11-13 September 2002). In the present contribution 32 species and subspecies of arthropods are listed as new records. *Phaneroptera nana* Fieber (Orthoptera: Tettigonidae) is also new to Azores. The preliminary checklist for Corvo island includes a total of 175 species and subspecies (11.43% are common endemics to the Azores), belonging to 16 orders and 83 families.
Key words: Arthropoda, Corvo Island, Azores.

INTRODUCTION

The literature records on arthropod fauna from Corvo island are restricted almost to a few early Azorean works, mainly included into faunistic general lists or single records. Vieira (1994) and Vieira & Tavares (1995) are the most recent papers dedicated to the arthropod fauna of this island.

The volcanic origin of Corvo and its geographical position in North Atlantic Ocean ($39^{\circ} 40' - 43' N$ and $31^{\circ} 5' - 8' W$), the maximum altitude (718 m at Estreitinho), the harsh environment (e.g. sometimes influenced by winter strong winds) in comparison to other Azorean islands, and the comparatively small percentage of the total surface covered with crop fields and natural forestry, may have some influence in the species richness of arthropod species, including parasites and predators, and their host plants.

The entomological work on Corvo is still scarce, when compared to other Azorean islands. Therefore, the first author visited the island during three days (11-13 September 2002) in order to complete the earlier lists (Vieira, 1994; Vieira & Tavares, 1995), and contribute to the ecological knowledge of Corvo biotopes. The last author (J. Wunderlich) also visited the island in company of L. Schmidt during one day in the summer of 1999. This paper lists the new records followed by some ecological notes. A preliminary checklist of the arthropod fauna from Corvo is also given.

MATERIAL AND METHODS

Fieldwork was conducted on Corvo during a short sampling period (26 July 1999; 11-13 September 2002). Following Vieira (1994) and Vieira & Tavares (1995), several techniques were used to collect arthropod specimens: (i) an adapted Pennsylvania light trap, with a TLD 15 W/05 lamp, fed by a 12V battery coupled with a transformer, for the noctuids; (ii) an entomological net for moths and butterflies; (iii) the direct observation of various host plants (exotic and endemic) for larval instars; (iv) the direct observation or/and capture of natural enemies (predator and parasite) that were found associated with their entomological hosts (other insects).

The most recently arthropod fauna survey from Corvo was published by Vieira (1994) and Vieira & Tavares (1995). Those early lists are here complemented with new records and some corrections. Only the results concerning Macrolepidoptera (Lepidoptera) species were prepared to publish elsewhere (Vieira, in press), with exception to *Gymnoscelis rufifasciata* (Haworth) that is referred here. All the new species for this island were identified by the authors, namely: J. Wunderlich (Araneae), P. Borges (Hemiptera-Heteroptera and Coleoptera), V. Vieira (Odonata, Blattaria, Orthoptera and Macrolepidoptera) and O. Karsholt (Microlepidoptera).

Several lists of species were used as reference in terms of the nomenclature of the species and their distribution on the island: Araneae (Wunderlich, 1991); Collembola (Gama, 1982); Orthoptera (Fernandes, 1982); Dermaptera (Sousa, 1997); Hemiptera (Cicadellidae) (Quartau, 1982); Thysanoptera (Zur Strassen, 1984); Neuroptera (Aspöck *et al.*, 2001; Ventura *et al.*, in press); Coleoptera (Borges, 1990); Diptera (Frey, 1945; Freeman, 1957; Gomes, 1982; Hughes *et al.*, 1998; Kehlmaier, 1998; Báez, 2002); Lepidoptera

(Sousa, 1985; Vieira & Tavares, 1995; Vieira, 1997; Tennent & Sousa, 2003; Vieira, in press); Hymenoptera (Yarrow, 1967; Vieira, 1994).

The present paper is divided in two parts, entitled New Records and Checklist. For each new record the following data is given: locality, date, number of specimens, cultural area, hostplant, and/or their arthropod natural enemies (parasite or predator), and zoogeographical distribution (=Distrib.). The arthropod checklist results from both literature cited in this contribution (see also Izquierdo *et al.*, 2001; Hjorth-Andersen, 2002) and the new records listed. Taxa endemic to the Azorean archipelago are marked with an asterisk (*).

RESULTS

1. New records

ARANEAE (Arachnida)

Family Segestriidae

Segestria florentina (Rossi, 1790)

Caldeira, 26.VII.1999 (1 f) J. Wunderlich & L. Schmidt leg.

Caminho da Grotta, Vila Nova do Corvo: 12.IX.02 Vieira leg. - one adult male captured with an entomological net, which was suspended on roadside wall rocks, catching the insects (e.g., Diptera and microlepidoptera species).

Distrib.: Europe, Azores (new to Corvo).

Family Oecobiidae

Oecobius similes Kulczynski, 1909

Caldeira, 26.VII.1999 (1 f) J. Wunderlich & L. Schmidt leg.

Distrib.: St. Helena, Canaries, Madeira, Azores (new to Corvo).

Family Tetragnathidae

Tetragnatha extensa (Linnaeus, 1758)

Caldeira, 26.VII.1999 (1 subad. m, 2 subad. f, 2 juv.) J. Wunderlich & L. Schmidt leg.

Distrib.: Holarctic, Azores (new to Corvo).

Family Linyphiidae

Lepthyphantes tenuis (Blackwall, 1852)

Caldeira, 26.VII.1999 (1 subad. m, 3 m, 6 f) J. Wunderlich & L. Schmidt leg.

Distrib.: Palearctic, Azores (new to Corvo).

Erigone atra (Blackwall, 1841)

Caldeira, 26.VII.1999 (1 m) J. Wunderlich & L. Schmidt leg.

Distrib.: Holarctic, Canaries, Azores (new to Corvo).

Family Mimetidae

Ero ??flammeola Simon, 1881

Caldeira, 26.VII.1999 (1 juv.) J. Wunderlich & L. Schmidt leg.

Distrib.: West Mediterranean, Canaries, Azores (new to Corvo).

Family Theridiidae

Steatoda grossa (C.L. Koch, 1838)

Caldeira, 26.VII.1999 (1 f) J. Wunderlich & L. Schmidt leg.

Distrib.: Cosmopolitan, Macaronesia, Azores (new to Corvo).

Achaeareana acoreensis (Berland, 1932)

Caldeira, 26.VII.1999 (1 f) J. Wunderlich & L. Schmidt leg.

Distrib.: California, Portugal, Madeira, Açores (new to Corvo).

Theridion musivivum Schmidt, 1956

Caldeira, 26.VII.1999 (1 m) J. Wunderlich & L. Schmidt leg.

Distrib.: ?Madeira, Canary Islands, Azores (new to Corvo).

Family Agelenidae

Tegenaria ?domestica (Clerck, 1757)

Caldeira, 26.VII.1999 (1 juv.) J. Wunderlich & L. Schmidt leg.

Distrib.: Cosmopolitan, Azores (new to Corvo).

Family Lycosidae

Pardosa acoreensis Simon, 1883*

Caldeira, 26.VII.1999 (1 f) J. Wunderlich & L. Schmidt leg.

Distrib.: Endemic to the Azores (new to Corvo).

Family Thomisidae

Xysticus cor Canestrini, 1873

Caldeira, 26.VII.1999 (1 m.; 4 f; 3 juv.) J. Wunderlich & L. Schmidt leg.

Distrib.: Southern Europe, Azores (new to Corvo).

Family Salticidae

Macaroeris ? catus (Blackwall, 1867)

Caldeira, 26.VII.1999 (2 juv.) J. Wunderlich & L. Schmidt leg.

Distrib.: Madeira, Azores (new to Corvo).

HEMIPTERA

Family Nabidae

Nabis pseudoferus ibericus Remane, 1962

Vila Nova do Corvo: 11-12.IX.02 - An adult; it is considered a predator.

Distrib: Iberian Peninsula, Sicily, Sardinia, Magreb, Canary Islands, Azores (new to Corvo).

COLEOPTERA

Family Nitidulidae

Carpophilus fumatus Boheman, 1851

Vila Nova do Corvo: 11-12.IX.02 - Various adults on both field and house maize cobs (*Zea mays* L., Poaceae).

Distrib.: Cosmopolitan (originally Afrotropical), Azores (new to Corvo).

Family Curculionidae

Sitona ?flavescens (Marshall, 1802)

Vila Nova do Corvo, Cascalho: 11-12.IX.02 - An adult in the legume field. It is considered a legume-feeder.

Distrib.: Cosmopolitan, Azores (new to Corvo).

ODONATA

Family Aeschnidae

Anax imperator Leach, 1815

Vila do Nova do Corvo: 12.IX.02 - One specimen on *Tetragonia tetragonoides* (Pallas) Kuntze (Tetragoniaceae) and flying at Porto da Casa. Another one specimen was been observed flying at Pico João de Moura. Distrib.: Palearctic, Azores (new to Corvo).

BLATTARIA

Family Blattidae

Periplaneta americana (Linnaeus, 1758)

Vila do Nova do Corvo: 12.IX.02 - One specimen dead on roadside stone wall close to the church of Vila do Nova do Corvo.

Distrib.: Cosmopolitan, Azores (new to Corvo).

ORTHOPTERA

Family Tettigidae

Ruspolia nitidula (Scopoli, 1786)

(= *Homocoryphus nitidulus* (Scopoli))

Vila do Nova do Corvo: 12.IX.02 - The species can be captured in a light trap and it is commonly found on humid places with low vegetation, namely Juncaceae (*Juncus* spp.) and Poaceae plants (e.g. *Zea mays*), from low to medium altitudes.

Distrib.: Cosmopolitan, specially in tropical countries, Canary islands, Azores (new to Corvo).

Phaneroptera nana Fieber, 1843

Vila do Nova do Corvo: 12.IX.02 - "Four-spot bush-cricket" is found on "Chagas", *Tropaeolum majus* L. (Tropaeolaceae), but due to their grass green colouration difficult to detect.

Distrib.: Africa, Spain, Canary islands, Madeira; it is new to Corvo and Azores.

LEPIDOPTERA

Family Tineidae

Praecedes atomosella (Walker, 1863)
(thecophora (Walsingham, 1908))

Vila do Nova do Corvo: 12.IX.02 - One case on the wall of the Residencial of Vila do Nova do Corvo.

Distrib.: Azores (new to Corvo). Pantropical. Palaearctic region, including Madeira and Canary Islands (Gaedike & Karsholt, 2001).

Opogona sacchari (Bojer, 1856)

Pico João de Moura: 12.IX.02 - 2 ex. captured in a light trap.

Distrib.: Azores (new to Corvo). Costal areas of Africa, South and Central America, oceanic island of the Atlantic and Indian Ocean, including Madeira and Canary Islands (Gaedike & Karsholt, 2001).

Family Gelechiidae

Phthorimaea operculella (Zeller, 1873)

Pico João de Moura: 12.IX.02 - 2 ex. captured in a light trap; 11-13.IX.02 - adults and larvae attacking both field and stored patatoes *Solanum tuberosum* (Solanaceae) at Vila do Nova do Corvo.

Distrib.: Azores (new to Corvo). Neotropical species which has been introduced to many countries. In Europe restricted to the southern parts. Madeira and Canary Islands.

Sitotroga cerealella (Olivier, 1789)

Vila do Nova do Corvo: 12.IX.02 - Larvae attacking corn of the *Zea mays* in both field and stored *Z. mays* at Vila do Nova do Corvo (Matriz).

Distrib.: Azores (new to Corvo). Pantropical/ subtropical. In colder climates only indoors. Madeia and Canary Islands.

Family Tortricidae

Crocidosema plebejana Zeller, 1847

Pico João de Moura: 12.IX.02 - 8 ex. captured in a light trap.

Distrib.: Azores (new to Corvo). Pantropical / subtropical. Madeira and Canary Islands.

Family Pyralidae

Phycitodes albatella (Ragonot, 1887)

Pico João de Moura: 12.IX.02 - 80 ex. captured in a light trap.

Distrib.: Azores (new to Corvo). Holarctic, Neotropical (Meyer *et al.*, 1997)

The population occurring in the Azores belongs to subspecies *pseudonimbella* (Bentinck, 1937), which occurs in Europe and North Africa.

Ephestia kuehniella (Zeller, 1879)

Vila do Nova do Corvo: 12.IX.02 - One adult captured in *Z. mays* field at Cascalho. Meyer *et al.* (1997) saw no material of *E. kuehniella* from the Azores.

Distrib.: Azores (new to Corvo). Cosmopolitan. Madeira and Canary Islands (Meyer *et al.*, 1997).

Scoparia aequipennalis Warren, 1905*

Pico João de Moura: 12.IX.02 - One adult captured in a light trap.

Distrib.: Azores (new to Corvo).

Eudonia interlinealis (Warren, 1905)*

Pico João de Moura: 12.IX.02 - Two adults captured in a light trap.

Distrib.: Azores (new to Corvo).

Nomophila noctuella (Denis & Schiffermüller, 1775)

Corvo: 11.IX.02 - Adults were common in pasture grasses, namely *Mentha suaveolens* (Lamiaceae) and *Cyperus* spp. (Cyperaceae) at Forno Velho, in which 2 adults were captured with an entomological net; 12.IX.02 - Pico João de Moura: 14 adults captured in a light trap.

Distrib.: Azores (new to Corvo). Palaearctic and Afrotropical regions. Madeira and Canary Islands (Meyer *et al.*, 1997).

Family Geometridae

Gymnoscelis rufifasciata (Haworth, 1809)
Pico João de Moura: 12.IX.02 - Two adults captured in a light trap.

Distrib.: Azores (new to Corvo). Palaearctic region. The macaronesian species of *Eupitheciini* group need a global revision (Meyer, 1991); it could eventually change both nomenclature and distribution of this species.

HYMENOPTERA

Family Braconidae

Meteorus sp.
Vila Nova do Corvo: 11-12.IX.02 - A pupa observed on *Brassica oleracea* at Cascalho, which being an adult in laboratory conditions at Department of Biology of the University of the Azores. A parasite of *P. brassicae azorensis* subspecies.

Distrib.: Unknown.

2. Checklist of Arthropoda fauna

ISOPODA

Family Porcellionidae

Porcellio sp.

AMPHIPODA

Family Talitridae

Orchestia chevreuxi De Guerne, 1887

SYMPHYLA

Family Scutigerellidae

Scutigerella immaculata (Newport, 1845)

DIPLOPODA

Family Blaniulidae

Blaniulus guttulatus (Fabricius, 1798)
(=*Blaniulus guttulatus* Bosc.)

ARANEAE (Arachnida)

Family Dysderidae

Dysdera crocata C.L. Koch, 1839

Family Segestriidae

Segestria florentina (Rossi, 1790)

Family Pholcidae

Pholcus phalangioides (Fuesslin, 1755)

Family Oecobiidae

Oecobius similes Kulczynski, 1909

Family Tetragnathidae

Tetragnatha extensa (Linnaeus, 1758)

Family Araneidae

Argiope bruennichi (Scopoli, 1772)

Family Zygelliidae

Zygiella x-notata (Clerck 1757)

Family Linyphiidae

Lepthyphantes tenuis (Blackwall, 1852)

Agynta fuscipalpis (C.L. Koch, 1836)

Erigone atra (Blackwall, 1841)

Family Mimetidae

Ero ?? flammeola Simon, 1881

Family Theridiidae

Steatoda grossa (C.L. Koch, 1838)

Achaearanea acoreensis (Berland, 1932)

Achaearanea tepidariorum (C.L. Koch, 1841)

Theridion musivivum Schmidt, 1956

Family Agelenidae

Tegenaria ? domestica (Clerck, 1757)

Family Lycosidae

Pardosa acoreensis Simon, 1883*

Family Thomisidae

Xysticus cor Canestrini, 1873

Family Salticidae

Macaroeris ? catus (Blackwall, 1867)

HEXAPODA (=INSECTA)

COLLEMBOLA

Family Entomobryidae

Entomobrya multifasciata (Tullberg, 1871)

ODONATA	Family Coccidae <i>Coccus aff. hesperidum</i> (Linnaeus, 1758)
Family Aeschnidae	
<i>Anax imperator</i> Leach, 1815	
Family Libellulidae	
<i>Sympetrum fonscolombei</i> (Sélys, 1840)	
DERMAPTERA	
Family Anisolabididae	
<i>Euborellia annulipes</i> (Lucas, 1847)	
Family Forficulidae	
<i>Forficula auricularia</i> Linnaeus, 1758	
ORTHOPTERA	
Family Gryllidae	
<i>Gryllus bimaculatus</i> (De Geer, 1773)	
Family Acrididae	
<i>Locusta danica</i> (Linnaeus, 1758)	
Family Tettigonidae	
<i>Rospolia nitidula</i> (Scopoli, 1786)	
<i>Phaneroptera nana</i> Fieber, 1843	
HEMIPTERA	
Family Miridae	
<i>Lygocoris (Taylorilicus) pallidulus</i>	
Blanchard, 1852	
Family Pentatomidae	
<i>Nezara viridula</i> (Linnaeus, 1758)	
Family Nabidae	
<i>Nabis pseudoferus ibericus</i> Remane, 1962	
Family Cixiidae	
<i>Cixius azofloresi</i> Remane & Asche, 1979	
Family Cicadellidae	
<i>Eupteryx azorica</i> Ribaut, 1941	
<i>Psammotettix striatus</i> (Linnaeus, 1758)	
Family Margarodidae	
<i>Icerya purchasi</i> Maskell, 1878	
Family Diaspididae	
<i>Aspidiotus nerii</i> (Bouché, 1833)	
Family Coccoidea	
THYSANOPTERA	
<i>Apterygothrips</i> sp.	
NEUROPTERA	
Family Chrysopidae	
<i>Chrysoperla agilis</i> Henry, Brooks, Duelli & Johnson, in press	
(= <i>Chrysoperla</i> sp.)	
COLEOPTERA	
Family Carabidae	
<i>Campalita olivieri</i> (Dejean, 1831)	
<i>Ocys harpaloides</i> (Audinet-Serville, 1821)	
<i>Agonum marginatum</i> (Linnaeus, 1758)	
<i>Paranchus albipes</i> (Fabricius, 1796)	
<i>Amara aenea</i> (De Geer, 1774)	
<i>Anisodactylus binotatus</i> (Fabricius, 1787)	
<i>Stenolophus teutonus</i> (Schrank, 1780)	
<i>Pseudophonus rufipes</i> (De Geer, 1774)	
<i>Harpalus distinguendus</i> (Duftschmidt, 1812)	
Family Dytiscidae	
<i>Hydroporus guernei</i> Régimbart, 1891*	
<i>Rhantus suturalis</i> (MacLeay, 1825)	
Family Staphylinidae	
<i>Anotylus nitidulus</i> (Gravenhorst, 1802)	
<i>Xantholinus linearis</i> (Olivier, 1794)	
<i>Ocyphus olens</i> (Müller, 1764)	
<i>Atheta (s. str.) atramentaria</i> (Gyllenhal, 1810)	
Family Scarabaeidae	
<i>Onthophagus taurus</i> (Schreber, 1759)	
<i>Onthophagus vacca</i> (Linnaeus, 1767)	
Family Elateridae	
<i>Heteroderes azoricus</i> Tarnier, 1860*	
Family Melyridae	
<i>Psilothrrix viridicaeruleus</i> (Fourcroy, 1785)	
Family Nitidulidae	
<i>Carpophilus fumatus</i> Boheman, 1851	

- Family Coccinellidae
Scymnus interruptus (Goeze, 1777)
Scymnus sp.
Rodolia cardinalis (Mulsant, 1850)
Coccinella undecimpunctata Linnaeus, 1758
- Family Chrysomelidae
Chrysolina (Chrysomela) banksi (Fabricius, 1775)
- Family Rhynchophoridae
Sitophilus zeamais Motschoulsky, 1855
- Family Curculionidae
Otiorhynchus sp.
Laparocerus azoricus Drouet, 1859 *
- DIPTERA
- Family Tipulidae
Tipula macaronesica Savchenko, 1961*
(= *Tipula oleracea* L.); misidentification.
- Family Chironomidae
Chaetocladius melaleucus (Meigen, 1818)
Microspectra junci (Meigen, 1818)
Psectrocladius sordidellus (Zetterstedt, 1838)
Smittia (Pseudosmittia) azorica Storå, 1945*
(Nomina dubia)
Thalassomyia frauendorfii Schiner, 1856
Thalassosmittia atlantica (Stora in Frey, 1936)
- Family Dolichopodidae
Aphrosylus calcarator Frey, 1945*
Aphrosylus argyreatus Frey, 1945*
Campsicnemus curvipes (Fallén, 1823)
Chrysotus elongatus Parent, 1934*
Dolichopus signifer Haliday, 1838*
- Family Ephydriidae
Discocerina obscurella (Fallén, 1813)
Hecamede albicans (Meigen, 1830)
Hydrellia griseola (Fallén, 1813)
Hydrellia griseola (Fallén, 1813)
Parydra coarcata (Fallén, 1813)
Scatella tenuicosta Collin, 1930
- Family Canacidae
Canace nasica (Haliday, 1839)
- Family Sciaridae
Bradysia amoena (Winnertz, 1867)
- Family Empididae
Clinocera (Kowarzia) azorica Wagner & Stauder, 1991*
- Family Hybotidae
Crossopalpus aeneus (Walker, 1871)
- Family Phoridae
Megaselia ardua Schmitz 1940
- Family Syrphidae
Eumerus strigatus (Fallén, 1817)
Eupeodes corollae (Fabricius, 1794)
Sphaerophoria scripta (Linnaeus, 1758)
- Family Tephritidae
Ensina azorica Frey, 1945*
- Family Chamaemyiidae
Chamaemyia polystigma (Meigen, 1830)
- Family Chloropidae
Oscinella frit (Linnaeus, 1758)
Thaumatomyia notata (Meigen, 1830)
- Family Agromyzidae
Cerodontha bistrigata Frey, 1945*
Chromatomyia horticola (Goureau, 1851)
Phytomyza plantaginis Robineau-Desvoidy, 1851
- Family Sphaeroceridae
Elachisoma aiterrimum (Haliday, 1833)
Leptocera nigra Olivier, 1813
Lotophila atra (Meigen, 1830)
Minilimosina fungicola (Haliday, 1836)
Opacifrons coxata (Stenhammar, 1854)
Pullimosina heteroneura (Haliday, 1836)
Spelobia clunipes (Meigen, 1830)
Spinilimosina brevicostata (Duda, 1918)
- Family Anrhomyiidae
Adia cinerella (Fallén, 1825)
Delia platura (Meigen, 1826)

- Family Muscidae
Haematobia irritans (Linnaeus, 1758)
Musca domestica Linnaeus, 1758
Muscina stabulans (Fallén, 1817)
Orchisia costata (Meigen, 1826)
Stomoxys calcitrans (Linnaeus, 1758)
- Family Sarcophagidae
Sarcophaga africa (Wiedemann, 1824)
- Family Chyromyidae
Aphaniosoma obscuratum Frey, 1945
- Family Tethinidae
Culex pipiens Linnaeus, 1758
- LEPIDOPTERA
- Family Tineidae
Praecedes atomosella (Walker, 1863)
(= *thecophora* (Walsingham, 1908))
Opogona sacchari (Bojer, 1856)
- Family Gracillariidae
Caloptilia aurantiaca (Wollaston, 1858)
(= *Caloptilia* aff. *bistrigella* (Rebel));
misidentification.
- Family Hyponomeutidae
Argyresthia atlanticella Rebel, 1940*
Plutella xylostella Linnaeus, 1758
- Family Chortreutidae
Tebenna bjerkandrella (Thunberg, 1874)
- Family Gelechiidae
Phthorimaea operculella (Zeller, 1873)
Sitotroga cerealella (Olivier, 1789)
- Family Tortricidae
Crocidosemia plebejana Zeller, 1847
Cydia molesta (Busck, 1916)
Selania leplastriana Curtis, 1831
- Family Pyralidae
Phycitodes albatella (Ragonot, 1887)
Ephestia kuehniella (Zeller, 1879)
Scoparia aequipennalis Warren, 1905*
Eudonia interlinealis (Warren, 1905)*
Udea ferrugalis (Hübner, 1796)
- Palpita unionalis* (Hübner, 1796)
Nomophila noctuella (Denis & Schiffermüller, 1775)
- Family Pieridae
Colias crocea (Fourcroy, 1785)
Pieris brassicae azorensis Rebel, 1917*
- Family Nymphalidae
Hipparchia azorina occidentalis (Bivar de Sousa, 1982)*
Vanessa atalanta (Linnaeus, 1758)
- Family Geometridae
Cleora fortunata azorica Pinker, 1971*
Gymnoscelis rufifasciata (Haworth, 1809)
- Family Sphingidae
Agrius convolvuli (Linnaeus, 1758)
Macroglossum stellatarum (Linnaeus, 1758)
- Family Noctuidae
Hypena obsitalis (Hübner, [1813])
Autographa gamma (Linnaeus, 1758)
Thysanoplusia orichalcea (Fabricius, 1775)
Ctenoplusia limbirena (Guenée, 1852)
Chrysodeixis chalcites (Esper, 1789)
Helicoverpa armigera (Hübner, [1808])
Galgula partita Guenée, 1852
Sesamia nonagrioides (Levebvre, 1827)
Phlogophora meticulosa (Linnaeus, 1758)
Mesapamea storai (Rebel, 1940)*
Acantholeucania loreyi (Duponchel, 1827)
Pseudaletia unipuncta (Haworth, 1809)
Noctua pronuba (Linnaeus, 1758)
Noctua atlantica (Warren, 1905)*
Xestia c-nigrum (Linnaeus, 1758)
Peridroma saucia (Hübner, [1808])
Agrotis ipsilon (Hufnagel, 1766)
Agrotis segetum (Denis & Schiffermuller, 1775)
- HYMENOPTERA
- Family Pteromalidae
Pteromalus puparum (Linnaeus, 1758)

Family Braconidae	Family Apidae
<i>Glyptapanteles</i> (=Apanteles) <i>militaris</i> (Walsh, 1861)	<i>Bombus ruderatus</i> (Fabricius, 1775)
<i>Cotesia</i> (=Apanteles) <i>glomerata</i> (Linnaeus, 1758)	<i>Apis mellifera</i> (Linnaeus, 1758)
<i>Meteorus</i> sp.	Family Vespidae
Family Formicidae	<i>Vespa vulgaris</i> (Linnaeus, 1758)
<i>Monomorium carbonarium</i> (Smith, 1858)	
<i>Tetramorium guineense</i> (Bernard, 1953)	

DISCUSSION

The arthropod fauna of Corvo was poorly known until recently, because no consistent entomological expeditions were performed. This sampling paucity is confirmed with this contribution, in which about 32 species belonging to several arthropod groups are added with only a small field effort. However, the list of species presented is still very disharmonic in taxonomic composition and only a standardized sampling survey that should include different habitats will solve this problem.

The available literature could be useful for getting some patterns on species richness between islands or protected areas (see Borges *et al.*, 2000), but only a well performed field survey will improve the lists of species. For instance, in spiders several species common in pastures and semi-natural grasslands, common habitats in the island, are not yet listed. The same applies to other taxa common in pastureland (see Borges, 1999; Borges & Brown, 2001).

The fauna of Corvo should be rich compared to the area of the island, the small island effect (Lomolino & Weiser, 2001), and highly influenced by the fauna of the nearest island, Flores. Therefore, the list of species here presented is still preliminary and we strongly support the idea that a well-planned entomological expedition to Corvo should occur soon.

In summary, the preliminary checklist for Corvo includes a total of 175 species (in which 20 or 11.43% are common endemics to Azores archipelago), 16 orders and 83 families.

ACKNOWLEDGEMENTS

Special thanks are due to João Greves (Presidente da Câmara Municipal do Corvo) and Lubélia Mendonça (Corvo) who, in different practical ways, contributed to the success of the fieldwork on Corvo island, in 11-13 September 2002. Also, we thank to Marcos Báez (Universidad la Laguna) for the synonymic revision of Diptera species. This research was supported by funds provided by University of the Azores (Dept. of Biology and CIRN).

REFERENCES

- ASPÖCK, H., H. HÖLZEL & U. ASPÖCK (2001). *Komentierter Katalog der Neuropterida (Insecta: Raphidioptera, Megaloptera, Neuroptera) der Westpaläarktis.*- Denisia 02, 606 pp.
- BÁEZ, M. (2002). Dípteros Macaronésicos (Canarias, Azores y Madeira). In: Hjorth-Andersen, M.C-T. (coord.). *Catálogo de los Diptera de España, Portugal y Andorra (Insecta).*- Saragoza: Sociedad Entomológica Aragonesa, 323 pp.
- BORGES, P.A.V. (1990). A checklist of the Coleoptera from the Azores with some systematic and biogeographic comments.- *Bol. Mus. Mun. Funchal* 42(220): 87-136.
- BORGES, P.A.V. (1999). A list of arthropod species of sown and semi-natural pastures of three Azorean islands (S. Maria, Terceira and Pico) with some conservation remarks.- *Açoreana* 9(1): 13-34.
- BORGES, P.A.V. & V.K. BROWN (2001). Phytophagous insects and web-building spiders in relation to pasture vegetation complexity.- *Ecography*, 24: 68-82.
- BORGES, P.A.V., A.R.M. SERRANO & J.A. QUARTAU (2000). Ranking the Azorean Natural Forest Reserves for conservation using their endemic arthropods.- *J. Insect Conserv.* 4: 129-147.
- BRINDLE, A. (1971). The Dermaptera of the Naturhistoriska Riksmuseum, Stoclm. Part. IV.- *Entomologisk Tidskrift*. 92(1-2): 1-27.
- FERNANDES, J.A. (1982). Orthopteroidea Azorica.- *Bolm. Soc. port. Ent.* 7(Supl. A): 287-291.
- FREEMAN, P. (1957). Chironomidae (Diptera, Nematocera) from the Azores and Madeira.- *Opuscula Entomologica* 24(1-2): 117-124.
- FREY, R. (1945). Tiergeographische Studien über die Dipterenfauna der Azoren. I. Verzeichnis der bisher von den Azoren bekannten Dipteren. Iter entomologicum et botanicum ad insulas Madeirum et Azores anno 1938 a Richard Frey, Ragnar Storä et Carl Cedercreutz factum.- *Soc. Scient. Fennica Comment. Biol.* 8(10): 1-114.
- GAEDIKE, R. & O. KARSHOLT (2001). Contribution to the Lepidoptera fauna of the Madeira Islands. Part 2. Tineidae, Acrolepiidae, Epermeniidae.- *Beit. Entomol.* 51: 161-213.
- GAMA, M.M. 1982. Colêmbolos dos Açores.- *Bolm. Soc. port. Ent.* 7(Supl. A): 113-135.
- GOMES, A. 1982. Notícia sobre a Sirfidofauna do Arquipélago dos Açores (Diptera, Syrphidae).- *Bolm. Soc. port. Ent.* 7(Supl. A): 293-299.
- HENRY, C.S., S.J. BROOKS, P. DUELLI & J.B. JOHNSON (in press). A lacewing with the wanderlust: the European song species "Maltese", *Chrysoperla agilis* sp.n., of the *carnea* group of *Chrysoperla* (Neuroptera: Chrysopidae). *Syst. Entomol.*
- HJORTH-ANDERSEN, M. C-T. (coord.) (2002). *Catálogo de los Diptera de España, Portugal y Andorra (Insecta).*- Saragoza: Sociedad Entomológica Aragonesa, 323 pp.
- HUGHES, S. J., M.T. FURSE, J.H. BLACKBURN & P.H. LANGTON (1998). A checklist of Madeiran freshwater macroinvertebrates.- *Bol. Mus. Mun. Funchal* 50(284): 5-41.
- IZQUIERDO, I., J.L. MARTÍN, N. ZURITA & M. ARECHAVALETA (eds.) (2001). *Lista de especies silvestres de Canarias (hongos, plantas y animales terrestres).*- Tenerife: Consejería de Política Territorial y Medio Ambiente Gobierno de Canarias, 437 pp.

- KEHLMAIER, C. (1998). Data-basis for a checklist of all known Diptera-species from the Azores archipelago (Insecta: Dipetra).- *Bol. Mus. Mun. Funchal* 50(287): 71-90.
- LOMOLINO, M.V. & M.D. WEISER (2001). Towards a more general species-area relationship: diversity on all islands, great and small.- *J. Biogeography* 28: 431-445.
- MEYER, M. (1991). Les Lépidoptères de la région macaronésienne, II. Liste des Macro-Hétérocères observés en juillet-août 1990 aux Açores (*Lepidoptera: Geometridae, Sphingidae, Noctuidae*).- *Linneana Belgica* 13(3): 117-134.
- MEYER, M., M. NUSS & W. SPEIDEL (1997). Kommentierte Checkliste der Pyraloidea von den Azoren, mit der Beschreibung von drei neuen Arten.- *Beit. Entomol.* 47: 13-34.
- QUARTAU, J.A. (1982). A preliminary faunistic analysis of the Cicadellidae (Homoptera, Auchenorrhyncha) of the Azores.- *Bolm. Soc. port. Ent.* 7(Supl. A): 145-149.
- SOUZA, A.B. de (1985). Duas novas subespécies de *Hipparchia azorina* (Lepidoptera, Satyridae) dos Açores: *H. azorina barbara* N.SSP. e *H. azorina minima* N.SSP. respectivamente das ilhas Terceira e Corvo.- *Bolm. Soc. port. Ent.* (Supl. 1): 375-382.
- SOUZA, A.B. de (1997). Dermápteros (Insecta, Dermaptera) da Macaronésia, faunística e zoogeografia.- *Bolm. Soc. port. Ent.* 171 (VI-21): 289-308.
- TENNENT, W.J. & A.B. de SOUSA (2003). Notes on *Hipparchia* taxa from the Azores, with the description of a new subspecies of *H. miguelensis* from the island of Terceira (Lepidoptera, Nymphalidae, Satyrinae).- *Entomologist's Gaz.* 54: 7-24.
- VENTURA, M.A., D. THIERRY, D. CODERRE & V. GARCIA (in press). Origins and composition of the "Chrysoperla carnea complex" (Neuroptera: Chrysopidae) in the Azores and Madeira Islands. In: Actas of IV International Symposium of Fauna and Flora of the Atlantic Islands.- Cabo Verde (2002).
- VIEIRA, V. (1994). Contributions to the Arthropoda fauna of the Corvo island (Azores).- *Arquipélago* (Life and Marine Sciences) 12A: 51-56.
- VIEIRA, V. (1997). Lepidoptera of the Azores Islands.- *Bol. Mus. Mun. Funchal* 49(273): 5-76.
- VIEIRA, V. (in press). Records of Macrolepidoptera from Corvo island, Azores (Insecta, Lepidoptera).- *Nota Lepid.*
- VIEIRA, V. & J. TAVARES (1995). A checklist of the Lepidoptera from Corvo island (Azores).- *Açoreana* 8(1): 79-89.
- WUNDERLICH, J. (1991). Die Spinnen-Fauna der Makaronesischen Inseln - Taxonomie, Ökologie, Biogeographie und Evolution.- *Beit. Entomol.* 1: 1-619.
- YARROW, I.H.H. (1967). On the Formicidae of the Azores.- *Bol. Mus. Mun. Funchal* 21(97): 24-32.
- ZUR STRASSEN, R. (1984). Die Ostatlantischen Inseln im Licht der Biogeographie ihrer Thysanopteren-Faunen.- *Courier Forschungsinstitut Senckenberg* 71: 45-51.